

CORMANT-CS

Version 12.2.1

Release Notes

Doc Ref: Release Notes 12.2.1 (001)
Date: Wednesday, 1 May, 2024

Revision: Int. 001

© Cormant, a division of BGIS Global Integrated Solutions US LLC, 2003 - 2024



Table of Contents

1.	INT	RODUCTION	
	1.1	OVERVIEW	
	1.2	OPERATING SYSTEM, SQL AND BROWSER SUPPORT	
	<i>1.2.</i> 1.3	1 Support ending	
	1.3 1.4	OFFLINE COMPATIBILITY WITH CORMANT-CS 12.2.0	
	1.5	LICENSING - UPGRADING FROM A VERSION PRIOR TO 11 (NEW KEY REQUIRED)	
	1.6	CORMANT-EDIS COMPATIBILITY	5
	1.7	DEPRECATED API ENDPOINTS	5
	1.7.		
	1.7.		
	1.8	RELEASE 12.2.1	
	1.9 1.10	RELEASE 12.2.0	
	1.10 1.11	RELEASE 12.1.0	
	1.12	RELEASE 12.0.0	
2.	1 NS 2.1	TALLATIONUPGRADE FROM CORMANT-CS 7, 8, 9, 10, 11 TO VERSION 12	
3.		R CONFIGURABLE DATABASE STORED PROCEDURES	9
	3.1.	, ,	
		Workflow's Export to Excel Feature:	
	_	2 Workflow Validation Procedures	
4			
	CHA 4.1	ANGES IN 12.2.0	
	4.1 4.2	LDAP / ACTIVE DIRECTORY CONFIGURATION MOVED TO USER INTERFACE	
	4.3	DETAILED PROGRESS BARS	12
	4.4	NEW METER CHART TYPES ADDED TO DASHBOARD	
	4.5	HISTORICAL REPORTS NOW IN FOLDERS	
	4.6	New Way to Select a Rack in Workflow	
	4.7	THE SCRIPT LOGS PAGE CAN NOW EASILY ACCESS ALL RECORDS	
	4.8	WINDOWS OFFLINE APPLICATION	
5.	CHA	ANGES IN 12.1.11	.5
6.	CHA	ANGES IN 12.1.01	.5
	6.1	2FA	
	6.2	CONNECTIONS IMPORT FORMAT ENHANCED	
	6.3	SCRIPTING SERVICE IMPROVEMENTS	
	6.4	SOAP API IMPROVEMENTS	
	6.5	GENERAL BUG FIXES AND IMPROVEMENTS	
7.	CHA	ANGES IN 12.0.11	.6
8.	CHA	ANGES IN 12.0.01	.6
	8.1	KEY CHANGES IN 12.0.0	
	8.1.		
	8.1.		
	8.1.		17
	8.1. 8.1.	, ,	
	8.1.		
	8.1.	· · · · · · · · · · · · · · · · · · ·	
9.	I TC	T OF ENHANCEMENTS AND BUGS BY RELEASE2	
J.	LIJ	I VI EIIIMIVEITEITIS MITU DUUS DI RELEASE	- 4



9.1	LIST OF BUGS IN 12.2.1	21
9.2	LIST OF ENHANCEMENTS IN 12.2.0	21
9.3	LIST OF BUGS RESOLVED IN 12.2.0	24
	LIST OF ENHANCEMENTS IN 12.1.0	
9.5	LIST OF BUGS RESOLVED IN 12.1.0	31
9.6	LIST OF BUGS RESOLVED IN 12.0.1	38
	LIST OF ENHANCEMENTS IN 12.0.0	
	LIST OF BUGS RESOLVED IN 12.0.0	



1. Introduction

1.1 Overview

This document is the Release Notes for Cormant-CS with version numbers starting with 12. It describes the changes from previous releases of Cormant-CS, new feature overviews and, if applicable, any information to upgrade.

Please see the root level folder in the software release package for prior version release notes. If you are upgrading from a version of Cormant-CS prior to 11.3, we strongly suggest you read the previous release notes as this document only refer to version 12 and assumes you are familiar with all changes up-to and including version 11.3.

This introduction is a summary of each release, see each major section for full details about each release.

Installation of the latest release will also supply all prior version changes.

1.2 Operating System, SQL and Browser Support

Cormant-CS supports all versions of Microsoft Server from 2016, onwards. <u>Server 2012 support is not available.</u>

Cormant-CS supports all versions of Microsoft SQL from 2016, onwards.

Browser support includes the latest versions of Edge, Chrome, Firefox, Safari on PC, Apple, Linux, Android & iOS mobile devices.

The Android offline application supports Android 7 and above.

1.2.1 Support ending

During Q3/Q4 2022, Cormant dropped support for Microsoft SQL 2012 and 2014. SQL 2016 will be the oldest version supported.

During Q3/Q4 2022, Cormant dropped support for Windows Server 2012. Windows Server 2016 will be the oldest version supported.

In all cases, Cormant supports up to the latest versions released by Microsoft, including all patches and SP versions.

1.3 Reference Documents for Cormant-CS Version 12

As part of the release of software there is a **documentation** folder. This folder contains a number of key documents:

- **Cormant-CS Installation Guide.pdf** provides full new and upgrade installation instructions.
- Multiple files: **Cormant-CS 12.X New Features Training.pdf** provides a detailed review of Cormant-CS 12 new functionality for each release.
- **Cormant-CS-Offline-Sync-Service-Guide.pdf** setting up synchronization to Offline Android.
- **Cormant-CS-Offline-Manual.pdf** using the Cormant-CS Offline application.

We highly recommend these documents are reviewed prior to upgrade.



1.4 Offline Compatibility with Cormant-CS 12.2.0

12.2.0 now comes with a Windows installable version of our Cormant-CS Offline Application.

If your organization uses the Offline application, please note key changes include:

- Android and Windows Offline applications with versions prior to 12.2.0 will not work with Cormant-CS 12.2.0.
- The Android and Windows Offline Application with version 12.2.0 **will** work with versions of Cormant-CS older than 11.1.0.

So, if you are using Android or Windows devices with the Cormant-CS Offline Application, all data needs to be synced to Cormant-CS and the Offline Application upgraded to 12.2.0 or later, before the Cormant-CS server is upgraded. The upgraded offline devices can still be used with the customers current Cormant-CS server prior to upgrading the server to version 12.2.0.

1.5 Licensing - Upgrading from a Version prior to 11 (New Key required)

An internal change in licensing for version 11 on requires a new license key to install Cormant-CS version 11+. Please email Cormant-Finance@bgis.com for a new key, if one has not already been provided to your key contact.

1.6 Cormant-EDIS Compatibility

This version of Cormant-CS is compatible with the following versions of Cormant-EDIS (this interface solution to systems such as ServiceNow, Jira, and others).

2.9.0

1.7 Deprecated API Endpoints

1.7.1 SOAP API

Some endpoints are now deprecated. This is because they return templates or attributes that will not be of the correct Component context, or the context is not clear by the name and may be misleading in the future. Another potential issue is attributes with the same name. When developers search for an attribute by name the first matching attribute irrespective of context will be returned. The new endpoints only return Component context attributes.

The GetAllAttributes endpoint has not been deprecated and will continue to return all attributes. A new property has been added to the returned data about an attribute (AttributeGroupContextType) that identifies the attribute's context, so that developers can sort and identify the attribute required.

Other Reasons for deprecating endpoints are Endpoints are being replaced to support new features. The old endpoints are not changed so as not to break existing code that may have been written.

The Reports Endpoints have not worked for a long time and we are not aware of any customers who use them.



1.7.2 The deprecated endpoints with replacements are:

Deprecated Endpoint	Date Deprecated	Replacement Endpoint	Endpoint removal
GetAllTemplates	September 22	GetComponentTemplates	Cormant-CS 13
GetAllTemplatesTemplate	September 22	GetComponentRootTemplate	Cormant-CS 13
GetTemplatesByLevel	September 22	GetComponentTemplatesByLevel	Cormant-CS 13
GetAttributeByName	January 23	GetCompontAttributeByName	Cormant-CS 13
GetAttributeSelections	January 23	GetComponentAttributeSelections	Cormant-CS 13
ByName		ByName	
GetPredefinedAttributes	January 23	GetComponentPredefinedAttributes	Cormant-CS 13
GetSnmpPropertyValue ByComponentIDAndProp erty	May 2023	GetSnmpScalarTabularV alueByComponentIDAndProperty	Cormant-CS 13
GetSnmpPropertyValue ByComponentIDPropert yAndIndex	May 2023	GetSnmpTabularCellVal ueByComponentIDAndProperty	Cormant-CS 13
GetSnmpPropertyValue ByComponentPropertyA ndIndex	May 2023	GetSnmpTabularCellVal ueByComponentAndProperty	Cormant-CS 13
GetUserReport	June 2023		Cormant-CS 13
GetUserReportsByUser	June 2023		Cormant-CS 13
GetHistoricalUserRep ortByUser	June 2023		Cormant-CS 13
GetCustomUserReportB yUser	June 2023		Cormant-CS 13
DeleteUserReport	June 2023		Cormant-CS 13
SaveUserReport	June 2023		Cormant-CS 13
SaveComponent	July 2023	SaveComponentAttributes or TryUpdateComponentAtt ributeValue	Cormant-CS 13

1.8 Release 12.2.1

Bug fix release with one fix for using HTTPS to connect to the Entra ID server.

1.9 Release 12.2.0

The IIS's "csweb" Application Pool now uses the "Integrated" model rather than "Classic". This is to support features such as SignalR that communicates process progress information. This change should happen automatically as part of the reinstallation of Cormant-CS Web.

This release enables customers who use Entra ID (Azure AD) to use that Authenticator Application to use Cormant-CS. The Authenticator (Cormant-CS, LDAP/AD, Entra ID) that a particular user is to use can be configured on a user by user basis.



Configuration of LDAP/AD and Entra ID now part of Application and stored in the Database. This data is no longer to be entered into the web.config file as part of the application installation process.

There are UI improvements allowing users to see a more accurate process progress for actions such as Import and Delete of components.

The Date Pickers that a user will use to set Dates and Date Times will be that provided by the Browser being used.

Historical Reports can now be placed in Folders. Copying, Moving, and Deleting of both Custom and Historical Reports can be done by drag and drop, Cut/Copy/Paste and Keyboard shortcuts.

A Windows version of the Offline App has been created and is available in the release folder alongside the Android version.

See the Below for full details.

1.10 Release 12.1.0

This version enables customers who use Cormant-CS login accounts to access Cormant-CS to configure and use Email base Two Factor Authentication (2FA)

A lot of minor but annoying UI bugs have been sorted out. Along with further speed improvements.

See the Below for full details

1.11 Release 12.0.1

This version contains a fix for a bug that prevents the Database Wizard from upgrading customer databases that were first created prior to Version 8.0.

Important

As part of this work the Android Offline Sync Service has had an update that prevents it working with Android Offline Applications prior to 12.0.1. This means that all Android Devices will need to be synchronized with Cormant-CS prior to Upgrade of the Server. See 1.4 above.

1.12 Release 12.0.0

Initial release, see reference documents.



2. Installation

The **Cormant-CS Installation Guide** in the Documentation folder of the release contains details about installation process.

2.1 Upgrade from Cormant-CS 7, 8, 9, 10, 11 to version 12

There are no differences to the distribution requirements for Cormant-CS version 12 vis-a-viz Cormant-CS 7, 8, 9, 10, 11. The upgrade will be similar to any normal upgrade:

- Sync all Handheld Devices (if using).
- Backup the existing Cormant-CS database.
- Uninstall Cormant-CS Client (pre-10), Server and Web.
- Use the Setup_x64.exe in the Server folder (Full Installers) of the release. An MSI installer is provided for use by customer performing an in-major-version-upgrade, but the exe should be used for first upgrade to 12.x.
- Run the Database Wizard, it should start automatically. This ensures that the configuration points to the correct database instance and will update the schema and create new stored procedures.
- Install the Cormant-CS web using the .exe file. The same rules regarding MSI installers apply.



3. User Configurable Database Stored Procedures

The Cormant-CS database has a number of Stored Procedures that are designed to be configured to suit particular customer requirements. These Stored Procedures are not automatically updated as part of the database upgrade process and, if required, updates need to be done by customers.

There are three types of Stored Procedure that falls into this category:

3.1.1 Asset Export Reports

These are the exports that users can output via the Asset Tree's Context Menu's Exports options:

- Affected Devices
- Free Cables Export
- Power Affected Devices
- History Export this no longer works and can be removed. It has been replaced by the
 History tab which provides better functionality. Contact Support for how to remove
 this export!
- Rack Connections Report

Note: Your site may not have or have additional export reports to the ones listed above.

There are currently no recommended updates to any of these stored procedures.

3.2 Workflow

If customers are not using the Workflow module then there is no need to update either the Export to Excel or the Workflow Validation Stored Procedures.

If you or your users are looking to experiment with Workflow we **highly recommend** reading the "Simple Workflow Setup Read Me" document in the release folder under ".\Implementation Tools and Examples\Simple Workflow setup". Here you will find details of how to set up workflow to try it out in your environment. This directory also holds an example "Update Task Validator" stored procedure which is a good starting point for most customers.

3.2.1 Workflow's Export to Excel Feature:

- Affected Devices
- Patch Schedule Report
- Power Affected Devices
- Rack Selector Scores
- Task Summary Report

Note: Your site may not have or have additional export reports to the ones listed above.

3.2.2 Workflow Validation Procedures

- Create Order Validator
- Update Order Validator
- Create Task Validator



• Update Task Validator

See the current Version release details for specific information regarding any changes made to any of these Stored procedures and any special upgrade information.




4. Changes in 12.2.0

This version has changes to: How users are identified when logging on. Progress notification of potentially long running tasks has been improved. New Chart types have been added to the dashboard, and a new Offline App for Windows mobile devices has been released.

4.1 Enhanced Identification Process.

Users can now be configured to use Cormant-CS, LDAP / Windows Active Directory (AD) or Entra ID (formerly Azure AD) as the identity provider to confirm login details. This means that different users can be set to use their Active Directory account name and password to login while other users their Cormant-CS and Cormant Password. Entra ID has been added to the list of allowed Identity Providers. Customers with WWW exposed instances of the software have requested this to provide a more secure web friendly logging in process for their web users. Entra ID supports MFA and Single Sign-On capabilities.



Note: If you use IIS's Windows Authentication you will not be able to take advantage of these improvements and IIS handles the Identification process.


4.2 LDAP / Active Directory Configuration Moved to User Interface.

LDAP / Active Directory configuration is no longer done in the web.config file. A new Tab has been added Admin > User Management > Authentication. Here all the settings can be entered and these will now be persisted between upgrades.

Also on the new Authentication tab are the settings for Entra ID configuration.


See the New Installation Guide for detailed instructions for setting up LDAP/AD and Entra ID.





4.3 Detailed Progress Bars.

User will now see detailed progress bars for actions like Deleting and Importing Components. These show the number of items processed against the total in both numerical and visual way.



4.4 New Meter chart types added to Dashboard.

The choice of chart types for display of Custom Report data has be expanded to include meter chart types of Cylinder, Thermometer and Vertical LED charts. Configuration is the same as for the existing Meter type chart.

4.5 Historical Reports Now in Folders.


We have added the ability to add folders to store your Historical Reports in. This will allow you to group reports and make them easier to find.

You will now see your Historical Reports in a folder called **General Folder**. You can create additional folders and rename the **General Folder** as required. Historical




Reports can be Dragged and Dropped, Cut/Copy/Pasted to move or copy them. You can also use keyboard short cuts keyboard short cuts. Historical Reports cannot be moved to Custom Report folders and vise versa.

The name of a report must be unique to a Folder, but other folders can contain reports of the same name.



4.6 New Way to Select a Rack in Workflow.


The **Rack Selector Scores** export has been a popular and useful tool in workflow for a while. We have now made it part of the UI and it can be access via a button – **Rack Selector Scores.**





A new **Rack Selector Scores** dialog will appear with the racks ordered in the datacenter by their capacity scores. Racks with more available Space, Power, Cooling are at the top, less suitable racks are at the bottom

The columns can be Sorted by clicking the headers.



If the task is in **Edit Mode**, a rack can be selected to use for the task by setting the check box.

Hovering over a rack will show the **Unit Location Selector** and the location you want the device be place can be selected and set for the task as well, saving time.

Click OK to save and return to Workflow

4.7 The Script Logs Page Can Now Easily Access All Records

The Admin > Logs > Script Logs tab has been altered so that it is more responsive and will work easily with all the log data that is available.

A Toggle button **Updates Auto** (default on) causes new logs as they are created to be sent to Grid. The Script logs in the DB can be Filtered using the Filter Section. The filtered view will be updated with new logs that fit the filter if the toggle is set to **Updates Auto**.

The Grid columns can be Sorted – toggle changes to **Updates Off** and if the user changes toggle to **Updates Auto** the grid will revert to sort by **Log Time**.

It is easy to search older logs by changing pages, but again the toggle will change to **Updates Off** and if the user changes toggle to **Updates Auto** the grid will revert to the first page.

4.8 Windows Offline Application.

A new Windows Offline Application has been created. It looks, works and is configured the same as the Android Version.

Installation is the same as other windows applications – installer is in the Offline Application section of the Release package.

For further details see the Offline Application User Guide and Configuration Guide in the Documentation section of the Release package.



5. Changes in 12.1.1

Bug release to fix issue of Object Ref errors in IIS Windows Authentication environments.

6. Changes in 12.1.0

This version enables customers who use Cormant-CS login accounts to access Cormant-CS, to configure and use Email base Two Factor Authentication (2FA)

6.1 2FA.

User who log into Cormant-CS and who are authenticated via their Cormant-CS Password can be configured to use 2FA via emailed pass code.

When Users log in to Cormant-CS a 6 digit code will be sent to their registered email accounts and this code must be entered into an Authentication Confirmation dialog before the user is granted access to the application. Users have the option to remember the authentication on the device / browser.

See 12.1.0 New Features Training.PDF for more information.

6.2 Connections Import Format enhanced.

Connections Import file format has been enhanced to more accurately document user's intentions and also make creating connections import files easier. These changes mean that dangling cables can be imported.

See 12.1.0 New Features Training.PDF for more information.

6.3 Scripting Service Improvements.

The Scripting Service that runs scripts has be improved to provide better through put. This particularly affects SNMP scripts that collect data from devices. To fully take advantage of these improvements, customers are advised to make minor changes to their scripts to improve multi-tasking. If customers suspect that they are using scripts that collect data via SNMP they should contact Cormant Support for help and advice on suggested changes for scripts that use SNMP to collect data.

6.4 SOAP API Improvements.

The Soap API has been reviewed.

A lot of endpoints that had developed issues have been fixed.

Some Endpoints ar5e not going to be supported and have been deprecated and will be removed in Cormant-CS 13.0.0

There were some endpoints that were documented as being for use with cswebapi code, was actually designed for use in Cormant-CS Scripts only. The documentation of these endpoints has been corrected.

We have tried to maintain the format of current endpoints. There are some new Features and corrections to old features where we have taken the view that rather than change existing endpoints and so break existing code using those endpoints. New endpoints have been created and the old ones marked as deprecated. This will allow customers time to review and plan changes to their code that uses Cormant-CS SOAP API.

For full details of all of these changes see the SOAP API Programming Guide.



6.5 General Bug fixes and Improvements

A lot of minor but annoying UI bugs have been sorted out. Along with further speed improvements.

See the

7. Changes in 12.0.1

This version resolves an issue with upgrading Cormant-CS databases which were first created prior to Cormant-CS 8.0. The Android Offline Application will need to be upgraded as part of the upgrade process. See 1.5 above for more details.

Changes in 12.0.0

This version resolves a number of issues with Android offline synchronization that had the potential to leave some data unsynchronized. While this was unlikely, customers were advised of these issues once discovered by BGIS Cormant. To ensure they will not occur in a live or test environment please ensure Android offline software is upgraded to 11.3.4, as well as Cormant-CS core. Google Play store is already updated to this version, so it is possible devices may receive this version automatically depending on each enterprises policy.

8.1 Key changes in 12.0.0

8.1.1 New Feature called Albums


Albums allow you to group some files and, or Links to websites and shared files, together and link them to a number of Components (Assets). You can have as many albums as you want and these can contain as many files as you need and linked to as many components as necessary. Additional information (attributes) can be stored alongside the files and links in an Album.

An Albums can be created to store the Service Contract documents and details for your servers. This album can be linked to all your servers covered by the contract and if there is an issue with one of those servers, you can access the Service Contract and contact details from that server.

Fault procedure documents can also be added to an album and linked to the devices covered by the procedure. When there is an issue, the engineer dealing with the issue just needs to open the appropriate Album linked to the type of fault and follow the instructions without having to wade through a list of similar documents and decide which one is appropriate for the device currently being dealt with.

A new tab, Albums, has been added to the Assets module.





For more details on this new feature see the New Features Training document for 12.0

8.1.2 Storing Files in Albums will require MS SQL Filestream

The new Albums feature is able to store URL/URI Links to websites, documents stored on the web and documents stored in shared locations. This **does not** require MS SQL Filestream to be enabled.

Albums are also able to store files in the SQL database, if MS SQL Filestream is enabled and set up. The files are actually stored in a directory on the server that only MS SQL should access to. Customers need to consider: the space needed to store the files on the server, the DB backup settings and the size of DB backups.

Because considering these issues requires careful thought and discussions between different teams, CS server admin team, Data Storage team, DB Admin team, Cormant have designed Albums and the upgrade process to **not** require Filestream to be enabled from the beginning. Instead, customers can upgrade Cormant-CS as normal and investigate and use Albums without storing files in the system. Later when Filestream has been researched and resources, processes and procedures have been agreed and Filestream implemented. Cormant-CS can be enabled to make use of Filestream and the ability to store files implemented.

For more information see the Install Guide


8.1.3 Improvements to Channel Views

The Connection tabs Channel View is now able to show more information. Users can chose attributes (up to seven) to add to the view. These attributes are shown as columns of data on the right of the screen. Data is shown in these columns for components with those attributes. This will allow users to gain greater insights about the Channel and the elements that make it up.

A new view has been added to the list. The Channel Details View shows the Channels in small discreet tables showing the Rack, Chassis, Module, Port and the Sheath, Cable relationships as well as information such as Application / Category of the ports and cables along with length and total length of the channel. This view



can also be edited similar to the Channel View using the Right click context menu. Users can also export this view to PDF, XLS and CSV file formats.



See New Features Training for more details.


8.1.4 How you find things has been improved

We have reviewed how users look for things throughout the application. From this review we have identified features and methods that work well and combined them to create an easier, quicker, and friendlier way to find things.

Quick Search now operates in more places. To make it clear what is being searched a background text has been added, and where appropriate if wild cards are supported. Wildcards are used where the need for a single exact match is required (Assets module) and remains % and * characters and match 0 or more characters. If an exact match is not needed, then leading and training wild cards are implied by the search automatically so the user just needs to use a partial bit of text which can be in the middle of items being searched. Either way the Tree is filtered to the resulting search results showing all matches.

Selector Dialogs used to choose an item from a tree list, also use partial text search (no need for wild cards) and filter the tree when search text is entered. Where large trees are being filtered such as in the Space and Template Selector Dialogs "lazy loading" is employed. Not all the elements are obtained from the server and displayed in one go. The first filtered branch of the tree is shown expanded. Other parent branches containing filtered items are also shown, but "Closed". As the user expands these branches further filtered nodes are fetched from the server. This makes for a faster, more responsive user experience.






8.1.5 Plan View Faster

On top of the improvements in speed achieved in 11.X, Users should see improvements when interacting and editing plan views. When moving away from a plan view tab and back again, the view will appear quicker as the plan view data is now cached.

On nested plan views, such as where a Floor has a nested Data Center plan embedded in it, device images will not show on racks in the nested plan view when in 3D mode. Clicking on an object within the nested plan view will focus the view to just be the nested View and then the Device Images will be shown.

8.1.6 Attributes and Templates have been re-organized

As part of implementing Albums, we have separated attributes and templates into different contexts. These are: Components, Workflow, and Albums. Attributes and Templates cannot be moved between contexts. The UI has been modified to make this separation clear.



Attributes cannot use the same name as an existing attribute in the same context, but attribute names in different contexts can be the same.

See New Features Training for more details.



8.1.7 Other Improvements

The speed of Importing a large number of components in one file has been improved.

The speed of deleting a large number of components has been improved.

We have had a "Blitz" on Console errors in the application. These are errors that appear in the browser, and while they often to not stop or prevent what the user is doing, they do cause "Waits" while the browser decides what to do and slow the application down. This combined with other speed improvements should mean that users find this version noticeably faster and easier to use.



9. List of Enhancements and Bugs by Release

9.1 List of Bugs in 12.2.1

Item Key	Summary	Cormant Component	Customer Case Number
	Entra ID 2FA prompt does not work	Security /	
CS-10900	when using HTTPS	Authentication	31922

9.2 List of Enhancements in 12.2.0

Item Key	Summary	Cormant Component	Customer Case Number
	To provide the information about the		
	delete process when deleting large	Assets /	
CS-2961	spaces with components and connections	Components	
CS 2301	Enhancement Request for the Imports	Assets /	
CS-2374	Feature	Components	25150
	Needs Import progress icon/bar in CS	Assets /	
CS-3791	Web Import	Components	
	Add real-time capabilities to the app	Assets /	
CS-9885	using SignalR	Components	
	When Deleting a component, open a	Assets /	
CS-9859	dialog with a progress bar	Components	
	When importing a file on CSWEB, open	Assets /	
CS-9860	a dialog with a progress bar	Components	
	Improvement for the multiple disconnect feature to disconnect cables		
	without the need of specifying the	Assets /	
CS-9726	destination ports.	Connections	30749
	[UI] Consistency in the Confirmation to	Assets /	
CS-10097	disconnect dialog	Connections	
	Add Cancel-able Waiting Spinner to		
CS-8767	Asset History	Assets / History	
	Editing name of component in Search		
66 10101	Results should optionally rename	A t - / C t	
CS-10191	subcomponents	Assets / Search	20020
CS-8483	Enhance the ability of CheckDB tool to detect invalid date values	Check DB	29929, 30399
C5-6463	Replace custom date/time pickers with	CHECK DB	30399
CS-10014	browser-based pickers	CSWeb	
23 10014	[Dashboard] Improve Historical Report	COVVCD	
CS-10391	Lookup to show folders	Dashboard	
	Add Cylinder fill chart to dashboards,		
	using same config options as for Meter		
CS-10057	types.	Dashboard	
	Add Thermometer chart to dashboards,		
CS-8880	using same config options as for Meter	Dashboard	



	types.		
	Add Vertical LED chart to dashboards, using same config options as for Meter		
CS-10056	types.	Dashboard	
CS-10620	Consistent change history logging when a record is edited but not changed?	Logs / Administration History	
CS-10207	Set the logging of EDIS Service logs to use standard filename date suffix format as YYYYMMDDHhMmSs.Ns	Logs / EDIS Logs	31306
CS-10367	In the Login History page, add ability to show when someone tried to login passing an invalid "redirect URL" parameter (malicious agent)	Logs / Login History	
CS-10366	On Login History page log, include a new Reset button in the filter section	Logs / Login History	
CS-10430	Add server-side pagination to Scripting Logs page	Logs / Scripts	
CS-10547	Improve the Script dropdown field to use a Filtered Dropdown	Logs / Scripts	
CS-9861	In the Admin > Logs > Scripts page, improve how the table is refreshed based on the Auto-Updates feature	Logs / Scripts	
CS-10365	Make Scripting Logs use server-side filtering so that it's possible to easily look for old data	Logs / Scripts	
CS-9890	In the Admin > Logs > Scripts page, investigate why the Filter does not always work as expected	Logs / Scripts	
CS-10547	Improve the Script dropdown field to use a Filtered Dropdown	Logs / Scripts	
CS-10336	[Android] Replace custom date/time pickers with browser-based pickers	Offline / Assets	
CS-9096	Android Mobile - Scan and Assign - Add Asset RU and Template data	Offline / Assets	
CS-8544	Android pagination is inconsistent with CS Web	Offline / Assets	
CS-10321	Offline HH > Settings > Sync Service Address field validation	Offline / Assets	
CS-7129	[Android] Implement logic for the "Sort by Rack Unit" feature (Context menu)	Offline / Assets	
CS-10307	On Offline Android, improve Space Lookups to display Filtered Results (same as CSWEB)	Offline / Assets	
CS-10306	On Offline Android, improve Template Lookups to display Filtered Results (same as CSWEB)	Offline / Assets	
CS-10305	On Offline Android, include missing features on Assets Tree and Create and Assign Barcode dialog	Offline / Assets	
CS-8064	Ensure that the improvements done by CS-7796 and CS-7762 are also applied on Android	Offline / Assets	



	Port CS-8491 and CS-8492 to Android		
CS-8557	handheld	Offline / Assets	
CS-10585	[CsOffline] Change style of the Settings buttons on login page	Offline / Login	
CS-10320	Create a Windows installer for CS Offline	Offline / Windows	
CS-10477	[Custom Reports] Add a Loading Spinner to Custom Reports	Reports	
CS-10476	[Reports] Add more information on Administration History when editing Reports	Reports	
CS-10389	[Reports] Add ability to use drag and drop	Reports	
CS-10388	[Reports] Add ability to use Keyboard shortcuts	Reports	
CS-10201	Report Viewer - Add support to sort by column headers	Reports / Custom Reports	
CS-10261	Report Viewer - Add support to sort by column headers when attributes show count or sum	Reports / Custom Reports	
CS-10429	Custom Report part of report tree loads very slowly	Reports / Custom Reports	
CS-10269	Report Viewer - Add support to sort by column headers in Details view	Reports / Custom Reports	
CS-10479	In the Reports > Historical Report, the Attribute dialog should display only Saved Attributes, not all existing attributes	Reports / Historical Report	
	Ability to add Folders for Historical	Reports /	20122
CS-7070	Reports. Add pagination support to REST API	Historical Report	28133
CS-9479	/ComponentAttributes endpoint	REST API	
CS-10480	In the Saved Attributes configuration, the attributes tree should also display the attribute parent (in this case, the attribute group)	Saved Attributes	
CS-10114	Add ability to specify the Identity Provider for each User	Security / Authentication	
CS-10083	Add Guest User settings into CSWEB	Security / Authentication	
CS-10082	Add LDAP settings into CSWEB	Security / Authentication	
CS-10220	Add OpenID Connect (OIDC) configuration to Admin > User Management > LDAP & SSO tab	Security / Authentication	
CS-10222	Implement OpenID Connect for Azure AD SSO in CS Web using MS libraries	Security / Authentication	
CS-10093	Investigate the use of Azure AD to Authenticate and Authorize users	Security / Authentication	
CS-10667	Roles should have option for default Entity Provider	Security / Authentication	
CS-9874	Provide a validation when an Order with active tasks is deleted via API DeleteOrderByID.	SOAP API	30715
		1	



CS-9837	There should be an API validation when	SOAD ADI	31617, 31506
CS-9837	running DeleteTaskByID API [Templates] The buttons on Thresholds	SOAP API	31506
	and Scripts tabs do not have the same		
CS-10186	colors	Templates	
CS 10100	Show user roles in Login History and in	remplaces	
	the export file in order to be able to		
CS-9160	filter via user roles	User and Roles	30369
		User	
	Add Azure AD SSO configuration to	Management /	
CS-10115	Admin > User Management	Security	
	In the Admin > Users Managements >	User	
	Users tab, add ability to export users	Management /	
CS-10310	table-grid	Users and Roles	
	In the Admin > Users Managements >	User	
	Users tab, add new columns in the	Management /	
CS-10309	table-grid	Users and Roles	
	On Admin → User Management →		
	Users & Roles → Users tab, improve the	User	
	Role dropdown field to use a Filtered	Management /	
CS-9638	Dropdown	Users and Roles	
	In the User Profile Settings, a non-		
66 0055	admin user should not be able to	Llaan Duafila	
CS-9855	change his email	User Profile	
66 0760	[Workflow] Add basic "Rack Selector	Workflow / Rack	
CS-9769	Scores" export in a Pop-up Dialog	Selector	
	[Workflow] Improvements on the "Rack	Workflow / Rack	
CS-9780	Selector Score" dialog	Selector	
	[Workflow] In the "Rack Selector		
	Scores" dialog, add ability to select the	Manlelan, / Daal	
CC 0777	row, then update the Rack/Location	Workflow / Rack	
CS-9777	field [Workflow] In the "Rack Selector	Selector	
	Scores" dialog, add ability to show	Workflow / Rack	
CS-9779	available slots of the Rack	Selector	
C3-3//3	There should be a warning when	Jeiectoi	
	Chassis are decommissioned and their	Workflow / Task	30313,
CS-9056	blades have pending decomm tasks	Details	30690
25 3030	Workflow Submit Date Time attribute	Workflow / Task	30030
CS-10496	greyed out/disabled.	Details	31461
20 10 100	g. cj ca dad albabicat	2 3 6 6 11 5	31.01

9.3 List of Bugs Resolved in 12.2.0

Item Key	Summary	Cormant Component	Custome r Case Number
	User with Config-None permission, does not show the Album template		
CS-10294	icons properly	Admin / Album	
	Cannot create an album when Template		
CS-9678	has required attributes	Assets / Album	
	[Albums] Console error when dragging		
	files around or on top of the Albums		
CS-9718	area	Assets / Album	
	Unable to unlink the last linked		
CS-10274	component from an album (depending	Assets / Album	



	on permissions)		
CS-10577	Assets > Albums > Edit button becomes enabled when it should remain disabled	Assets / Album	
CS-10598	When navigating to Albums tab after discarding changes on Details tab, the Albums tab shows the page in edit mode	Assets / Album	
CS-10669	Zone permission is not applied for Album custom required attributes endpoint	Assets / Album	
CS-10379	Optional Attributes in Add Components dialog does not load the default template attribute value	Assets / Components	
CS-10625	Copy and Paste Permissions of Users with a Required Attribute	Assets / Components	31675
CS-10678	Console error encountered when searching for existing cable or component in the Connections dialog	Assets / Components	
CS-8511	First created virtual cable of a template with barcode link has non-empty barcode	Assets / Connections	
CS-9028	Multiple connect on ports with patch schedule while Task is In Progress, should be restricted	Assets / Connections	
CS-9956	[Edge] Format dropdown on the Connections tab moves to the side when hovered	Assets / Connections	
CS-10313	Unable to make connection when creating sheath via multiple connect, restricted by WF task	Assets / Connections	
CS-10314	Deletion confirmation message contains inaccessible component name	Assets / Connections	
CS-10315	Multi-connect hangs in certain situations Connected range logic doesn't find	Assets / Connections	
CS-10384	connected range if one of the spaces is not accessible	Assets / Connections	
CS-10550	Error when using Multi Connect drag'n Drop "unsupported connectivity level"	Assets / Connections	
CS-7986	Move notification should contain name of moved component Text can be hidden within fields by	Assets / Details	
CS-8944	using curly braces There should be a restriction when	Assets / Details	
CS-9303	'Template Component' is used as Template Copied component with default date	Assets / Details	
CS-9896	Copied component with default date value in its template show an invalid date value error	Assets / Details	
CS-10257	A validation error occurs when trying to Add Multiple Components with a Template that has default value in a date-type attribute	Assets / Details	



1	[Components] Inconsistent date-type]]
	attribute values in Component_Attrib		
CS-10271	table when adding vs updating	Assets / Details	
00 10271	Errors encountered when the user has	/ loodes / Details	
CS-10292	Components-None permission	Assets / Details	
CS 10232	Wrong tab shown after quick searching	/ looces / Details	
	for component then clicking on health	Assets /	
CS-10193	card	Healthcards	
	In Asset History, date attributes are not		
	being displayed in the user's chosen		
CS-9554	date format	Assets / History	
	In Asset History, date attributes are not		
CS-9562	stored in ISO format	Assets / History	
	[Move Here] Console error encountered		
	after valid component is entered in the	Assets / Move	
CS-10674	input search when Auto Advance is OFF	Here	
	[Planview] Other tab does not get		
	updated when adding / removing /	Assets / Plan-	
CS-9887	changing image of plan view	view	
	[Planview] Error when updating the		
	floor plan on a different panel after	Assets / Plan-	
CS-9899	deleting on the other one	view	
	[IOS] 'Rotate' button in the Plan View is	Assets / Plan-	
CS-10060	not working using iPhone	view	
	[Assets > Search Results] After		
66.0606	deleting a component, the component	A t - / C t -	
CS-9686	is still visible in the Search Results tab	Assets / Search	
	Clicking twice on a search result cell while in Edit Mode shows data loss		
CS-10194	confirmation dialog	Assets / Search	
C3-10194	[Assets Search] Order of records on the	Assets / Search	
	printable page do not match what is		
CS-10236	shown in the search result table	Assets / Search	
00 10100	On Assets Search, the date filter	7.00000 / 000.0	
	criteria doesn't work when providing		
CS-10298	just the Date From	Assets / Search	
	[Search] Error when saving Search		
CS-10602	filters	Assets / Search	
	[Quick Search] 0 results when		
CS-10650	searching for ports with multiple results	Assets / Search	
	[SNMP Configuration] In the Assets >		
	SNMP Configuration dialog, the SNMP		
CS-10433	Version is not saved properly	Assets / SNMP	
	[Asset] 'History' tab keeps on showing		
	after setting the Workflow permission		
CS-10280	to 'Hidden'	Assets / Tabs	
	[Attributes] Consistency of validation	Attributes /	
CS-10007	for Alpha-type attributes	Details	
	Modifying Attributes does not take		
	effect if the User who modified the	Attailer t	
CC 10505	changes is the User under the new role	Attributes /	21626
CS-10595	created.	Details	31626
	[Attributes] Copy pasting when the Attributes tree is filtered generates		
CS-10303	console error	Attributes / Tree	
CO-T0202	CONSOIC CITOI	Accidates / TIEE	



	On Scripts page, an error occurs after		
	selecting a node, and then try	Configuration /	
CS-9738	refreshing the page	Scripts	
	User without access to CSWEB setup as		
	SSO (AD login) gets directed to a Login		
CS-7745	dialogue over a Blank page	CSWEB	28600
	Pagination page numbers formatted		
CS-10226	incorrectly	CSWeb	
	[Dashboard] In the Alert Summary		
	Widget, the Orientation input field		
CS-10431	doesn't work as expected	Dashboard	
	[Dashboard] Tooltips on Planview		
CC 10FF4	widget don't disappear when hovering	Daabbaaud	
CS-10554	outside of the widget box	Dashboard	
CC 10470	Multi-line errors are not shown in	Гина и Мараа ва	
CS-10470	multiple lines on notification	Error Message	
	[Import] Unable to import connections using CSV file, generates a 'Stream		
CS-10581	was not readable.' error	Imports	
C3-10301	was not readable. error	Logs /	
		Administration	
CS-10653	Uniform logging of changes in Reports	History	
CS 10033	[Configuration History Logs] Move	Logs /	
	Template entries shows the same From	Configuration	
CS-10700	and To in the Description	History	
	[Logs] No history entry when logging in	Logs / Login	
CS-10494	with incorrect Username	History	
	Monitoring the Scripts Log hogs all		
CS-7658	memory resource over time	Logs / Scripts	28168
		Network	
	[MIB Files] Error on left panel when	Discovery / MIB	
CS-10332	clicking on MIB files tab	Files	
CS-10143	Port hidden text fix to Android	Offline / Assets	
C3-10143	[Android] Subcomponents are not	Offilite / Assets	
	created in CS after encountering the		
	error 'attribute not being a valid date		
CS-10322	value'	Offline / Assets	
00 10022	[Android] Unable to sync components	omme / rissets	
	LIANGIOIGI UNADIE IO SVIIC COMBONENIS		
	with default date values from Android		
CS-10323		Offline / Assets	
CS-10323	with default date values from Android	Offline / Assets	
	with default date values from Android to Web [Android] Creating multiple components using template with	Offline / Assets	
CS-10323 CS-10324	with default date values from Android to Web [Android] Creating multiple components using template with default date value causes an error	Offline / Assets Offline / Assets	
	with default date values from Android to Web [Android] Creating multiple components using template with default date value causes an error [Android] The sorting of components in	,	
CS-10324	with default date values from Android to Web [Android] Creating multiple components using template with default date value causes an error [Android] The sorting of components in the Assign Component lookup tree	Offline / Assets	
	with default date values from Android to Web [Android] Creating multiple components using template with default date value causes an error [Android] The sorting of components in the Assign Component lookup tree ignores the 'Sort by Rack Unit' feature	,	
CS-10324 CS-10405	with default date values from Android to Web [Android] Creating multiple components using template with default date value causes an error [Android] The sorting of components in the Assign Component lookup tree ignores the 'Sort by Rack Unit' feature [Android] Error when syncing renamed	Offline / Assets Offline / Assets	
CS-10324	with default date values from Android to Web [Android] Creating multiple components using template with default date value causes an error [Android] The sorting of components in the Assign Component lookup tree ignores the 'Sort by Rack Unit' feature [Android] Error when syncing renamed cable from Android to CS Web	Offline / Assets	
CS-10324 CS-10405	with default date values from Android to Web [Android] Creating multiple components using template with default date value causes an error [Android] The sorting of components in the Assign Component lookup tree ignores the 'Sort by Rack Unit' feature [Android] Error when syncing renamed cable from Android to CS Web [CS Offline Windows] Unnecessary	Offline / Assets Offline / Assets	
CS-10324 CS-10405 CS-10406	with default date values from Android to Web [Android] Creating multiple components using template with default date value causes an error [Android] The sorting of components in the Assign Component lookup tree ignores the 'Sort by Rack Unit' feature [Android] Error when syncing renamed cable from Android to CS Web [CS Offline Windows] Unnecessary horizontal scroll bar on the Sync	Offline / Assets Offline / Assets Offline / Assets	
CS-10324 CS-10405	with default date values from Android to Web [Android] Creating multiple components using template with default date value causes an error [Android] The sorting of components in the Assign Component lookup tree ignores the 'Sort by Rack Unit' feature [Android] Error when syncing renamed cable from Android to CS Web [CS Offline Windows] Unnecessary horizontal scroll bar on the Sync Management page	Offline / Assets Offline / Assets	
CS-10324 CS-10405 CS-10406	with default date values from Android to Web [Android] Creating multiple components using template with default date value causes an error [Android] The sorting of components in the Assign Component lookup tree ignores the 'Sort by Rack Unit' feature [Android] Error when syncing renamed cable from Android to CS Web [CS Offline Windows] Unnecessary horizontal scroll bar on the Sync Management page [CS Offline Windows] Doing a quick	Offline / Assets Offline / Assets Offline / Assets	
CS-10324 CS-10405 CS-10406	with default date values from Android to Web [Android] Creating multiple components using template with default date value causes an error [Android] The sorting of components in the Assign Component lookup tree ignores the 'Sort by Rack Unit' feature [Android] Error when syncing renamed cable from Android to CS Web [CS Offline Windows] Unnecessary horizontal scroll bar on the Sync Management page	Offline / Assets Offline / Assets Offline / Assets	



1	In the Cormant-CS Offline available on		ı
	Windows, the Template Lookup		
	requires wildcard to search correctly. In		
CS-10531	practice, it should not.	Offline / Assets	
00 10001	[CsOffline - Windows] Seach results	7.10000	
	page has an empty left panel on large		
CS-10586	resolutions	Offline / Assets	
	On small screens, long tree text		
	overflows to the right beyond the tree	Offline /	
CS-10053	background image	Connections	
	Incorrect file extension when Report		
CS-7441	Title uses an apostrophe	Reports	28154
	[Reports] "Unable to Complete		
	Request" error page is shown when the		
CS-10033	report name includes the word "index".	Reports	
	In the Reports Module, there are no		
CS-10592	notifications when a report is saved	Reports	
	[Reports] Name on the reports tree and		
	center page is not updating after	Reports /	
CS-10563	renaming it under Details tab	Custom Reports	
	[Reports] Console error when exporting	Reports /	
CS-10564	a meter chart with no data	Custom Reports	
	[Reports] When saving a report with a	D /	
CC 10F06	new report folder, the tree is not	Reports /	
CS-10596	updated	Custom Reports	
CC 10507	[Reports] When renaming a report, the	Reports /	
CS-10597	tree is not updated properly	Custom Reports	
	[Reports] Export format dropdown should be disable when no data is	Donorto /	
CS-10658	found	Reports / Custom Reports	
C3-10036	No Saved Attribute is selected when		
CS-10626	searching	Reports / Historical Report	
C3-10020	Searching	Reports /	
	[Historical Reports] It isn't possible to	Historical	
CS-10481	copy a Historical Report	Reports	
65 10 101	[Reports] Running standard reports	Reports /	
	with an invalid date value generates	Standard	
CS-9978	an unfriendly error	Reports	
	On REST API, endpoints for Updating		
	and Creating Component Date		
CS-10295	Attributes should be consistent	RESTAPI	
	Unexpected behavior after deleting the		
CS-10614	last Saved Attribute	Saved Attributes	
	Deadlock causes data fetch to fail in		
	case Scripting Service is adding too	Scripting	
CS-10383	many logs very frequently	Service	
	[Scripts] Saving twice on the Templates		
	tab results to an 'Object reference error		
CS-10545	will show'	Scripts / Details	
	[Scripts UI] When collapsing the Details		
00 10510	section, a blank space appears in the		
CS-10549	end of the page	Scripts / Details	
00.1000	CS Web is vulnerable to Open		
CS-10334	Redirection attacks	Security	



	Unfriendly error message when using		
66 10125	Windows Authentication without a		
CS-10135	matching CS user	Security / Login	
CS-10491	[Login] No UI validation when logging in with incorrect Username	Security / Login	
	SOAP API does not return error when		
CS-10045	trying to connect port that is disabled	SOAP API	
	[SOAP API]		
	ComponentServices.GetLegacyChangeH		
CS-10325	istoryItems does not work	SOAP API	
	[SOAP API]		
	ComponentServices.GetChildComponen		
CS-10326	tsByIDType does not work	SOAP API	
	[SOAP API]		
00 10007	ComponentServices.GetChildComponen	0045 457	
CS-10327	tsByNameType does not work	SOAP API	
	[CSWEBAPI] GetAttributeGroupByID		
66 10220	and GetAttributeGroupByIDs does not	COAD ADI	
CS-10339	return values	SOAP API	
CS-10132	[Mail settings] Username and Password fields are automatically set	System Settings / Mail Settings	
	[Templates] Error when updating and		
	saving all attributes of a template in	Templates /	
CS-8925	one go.	Attributes	
	The import passes the validation check	Templates /	
CS-10544	but then fails to import.	Export - Import	00031625
	"Script is required", error message is	Templates /	
CS-10686	gone, now a warning notification	Scripts	
		User	
	Guest users not logged-out when	Management /	
CS-10134	disabling guest user access	Security	
	[Workflow] Updating device		
	Rack/Location does not clear up Unit	Workflow /	
CS-10136	Location on the first time	Device Details	
	Error is thrown when trying to open the		
	dialog for a Patch Schedule that is	Workflow /	
CS-10460	connecting to inaccessible component	Provisioning	
	Error is thrown when trying to open the		
00.10165	dialog for a Patch Schedule that is	Workflow /	
CS-10460	connecting to inaccessible component	Provisioning	
	Workflow Submit Date Time attribute	Workflow / Task	
CS-10496	greyed out/disabled.	Details	31461

9.4 List of Enhancements in 12.1.0

Item Key	Summary	Cormant Component	Customer Case Number
	Cormant-CS should be able to generate		
	a 6-digit code to allow Two-Factor		
CS-9857	Authentication	Security / 2FA	
	In the Mail Settings tab, add validation preventing Email Server Details to be		
CS-9761	deleted in case 2FA is enabled	Security / 2FA	
	When enabling Two-Factor		
CS-9762	Authentication, the Admin user should	Security / 2FA	



morking (new dialog) The Admin user should be able to bypass 2FA (i.e. disable) for a specific user In the User Profile Settings, allow the user to know their 2FA status (enabled or not) When the Admin user enables Two-Factor Authentication, the system should default the 2FA status on each user When creating a new user, the system should default the 2FA status for that user should default the 2FA status for that user should be able to set if the authorization should be able to set if the authorization should be remembered in that browser Send 6-digit token to the user via email with instructions on how to proceed In the Security page, the admin should not be able to enable 2FA if the user is using Single Sign-On (Windows CS-9878 When the Admin user disables 2FA globally, the system should not change all users 2FA status CS-9881 Using APIs CS-9882 Ensure 2FA is not applied on any case using APIs When the Admin user disables 2FA globally, the system should not change all users 2FA status CS-9916 all users 2FA status CS-9916 all users 2FA status CS-9917 (Meb) Setting Values on Low and High Thresholds in Alerts Module CS-9918 (Ighums) Disable the other panel's buttons when the Album on the other panel is in edit mode CS-10151 (Ighums) Disable the other panel's buttons when the Album on the other panel is in edit mode CS-9920 attribute CS-9932 (Ighum) Disable the other panel's buttons when the Album on the other panel is in edit mode CS-10026 select nodes on search Add filtered search to SingleValueLookup that uses Chassis CS-9983 (Source Type Add filtered search to SingleValueLookup that uses Corder CS-9983 Source Type Add filtered search to SingleValueLookup that uses Icon CS-9883 Source Type Add filtered search to SingleValueLookup that uses Icon CS-9884 (CS-9885 Search Picker Add filtered search to SingleValueLookup that uses Icon CS-9884 (CS-9885 Search Picker) Add filtered Search to SingleValueLookup that uses Icon CS-9884 (CS-9886 Search Picker) Add filtered Search to SingleValu		be able to test if Email Server is		
CS-9763 user In the User Profile Settings, allow the user to know their 2FA status (enabled or not) When the Admin user enables Two-Factor Authentication, the system should set the 2FA status on each user When creating a new user, the system should default the 2FA status for that user based on the global 2FA status When trying to log-on on CSWEB, the user should be able to set if the authorization should be remembered in that browser Send 6-digit token to the user via email with instructions on how to proceed In the Security page, the admin should not be able to enable 2FA if the user is using Single Sign-On (Windows CS-9879 Authentication) Security / 2FA Add traceability when user tries to log- in on CSWEB using 2FA - New status options on Login History Security / 2FA Security / 2FA Security / 2FA Security / 2FA Add traceability when user tries to log- in on CSWEB using 2FA - New status Security / 2FA Add traceability when user tries to log- in on CSWEB using 2FA - New status Security / 2FA Add traceability when user tries to log- in on CSWEB using 2FA - New status Security / 2FA Security / 2FA Security / 2FA Add traceab		working (new dialog)		
CS-9763 user				
In the User Profile Settings, allow the user to know their 2FA status (enabled or not) When the Admin user enables Two-Factor Authentication, the system should set the 2FA status on each user When creating a new user, the system should default the 2FA status or that user based on the global 2FA status When trying to log-on on CSWEB, the user should be able to set if the authorization should be remembered in that browser Send 6-digit token to the user via email with instructions on how to proceed In the Security page, the admin should not be able to enable 2FA if the user is using Single Sign-On (Windows CS-9879 Authentication) Security / 2FA Security /		'		
User to know their 2FA status (enabled or not) When the Admin user enables Two-Factor Authentication, the system should set the 2FA status on each user When creating a new user, the system should default the 2FA status for that user based on the global 2FA status When trying to log-on on CSWEB, the user should be remembered in that browser Send 6-digit token to the user via email with instructions on how to proceed Send 6-digit token to the user is using Single Sign-On (Windows Authentication) CS-9878 In the Security page, the admin should not be able to enable 2FA if the user is using Single Sign-On (Windows CS-9879 Authentication) Ensure 2FA is not applied on any case using APIs When the Admin user disables 2FA globally, the system should not change all users 2FA status Add traceability when user tries to login on CSWEB using 2FA - New status CS-9997 options on Login History Show SSL validation notification before 2FA confirmation dialog CS-9988 [Web] Setting Values on Low and High Thresholds in Alerts Module [Albums] Disable the other panel's buttons when the Album on the other panel is in edit mode CS-10022 [Web] Setting Values on Low and High Thresholds in Alerts Module Improve text in Deleted Selections dialog No Restriction when deleting an item from the selection list of Selection type attribute should select nodes on search CS-8209 Add filtered search to SingleValueLookup that uses Order Search Picker CS-9852 Source Type Add filtered search to SingleValueLookup that uses Order Search Picker CS-9853 Source Type Add filtered search to SingleValueLookup that uses Order Search Picker CS-9853 Fight Add filtered search to SingleValueLookup that uses Order Search Picker CS-9853 Source Type Add filtered search to SingleValueLookup that uses Order Search Picker CS-9853 Source Type Add filtered search to SingleValueLookup that uses Order Search Picker	CS-9763		Security / 2FA	
CS-9764 or not				
When the Admin user enables Two-Factor Authentication, the system should set the 2FA status on each user When creating a new user, the system should default the 2FA status for that user based on the global 2FA status Security / 2FA When trying to log-on on CSWEB, the user should be able to set if the authorization should be remembered in that browser Send 6-digit token to the user via email with instructions on how to proceed In the Security page, the admin should not be able to enable 2FA if the user is using Single Sign-On (Windows Assets Security / 2FA	00.0764	•		
Factor Authentication, the system should set the 2FA status on each user When creating a new user, the system should default the 2FA status for that user based on the global 2FA status Security / 2FA When trying to log-on on CSWEB, the user should be able to set if the authorization should be remembered in that browser Send 6-digit token to the user via email with instructions on how to proceed In the Security page, the admin should not be able to enable 2FA if the user is using Single Sign-On (Windows CS-9879 Authentication) Security / 2FA Secur	CS-9/64	,	Security / 2FA	
CS-9765 should set the 2FA status on each user When creating a new user, the system should default the 2FA status for that user based on the global 2FA status Security / 2FA				
When creating a new user, the system should default the ZFA status for that user based on the global ZFA status When trying to log-on on CSWEB, the user should be able to set if the user should be femembered in that browser Send 6-digit token to the user via email with instructions on how to proceed In the Security page, the admin should not be able to enable 2FA if the user is using Single Sign-On (Windows CS-9879 Authentication) Security / 2FA Ensure 2FA is not applied on any case using APIs When the Admin user disables 2FA globally, the system should not change all users 2FA status Add traceability when user tries to login on CSWEB using 2FA - New status options on Login History Show SSL validation notification before 2FA confirmation dialog CS-9997 Show SSL validation notification before 2FA confirmation dialog CS-5813 Thresholds in Alerts Module [Albums] Disable the other panel's buttons when the Album on the other panel is in edit mode [Albums] Disable the other panel's buttons when the Album on the other panel is in edit mode CS-10022 No Restriction when deleting an item from the selection list of Selection type attribute CS-8209 Lookup for selecting attributes should select nodes on search Add filtered search to SingleValueLookup that uses Chassis Source Type Add filtered search to SingleValueLookup that uses Order SingleValueLookup that uses Icon Assets Search Picker CS-9853 Source Type Add filtered search to SingleValueLookup that uses Icon SingleValueLookup that uses Icon Assets Search Picker CS-9853 Add filtered search to SingleValueLookup that uses Icon SingleValueLookup that uses Icon Assets Search Picker CS-9853 Source Type Add filtered search to SingleValueLookup that uses Icon	CC 0765	· · · · · · · · · · · · · · · · · · ·	Socurity / 2EA	
Should default the 2FA status for that user based on the global 2FA status When trying to log-on on CSWEB, the user should be able to set if the authorization should be remembered in that browser Send 6-digit token to the user via email with instructions on how to proceed In the Security page, the admin should not be able to enable 2FA if the user is using Single Sign-On (Windows CS-9879 Authentication) Ensure 2FA is not applied on any case using APIs When the Admin user disables 2FA globally, the system should not change all users 2FA status Add traceability when user tries to login on CSWEB using 2FA - New status CS-9997 OS-9998 CS-9998 [Web] Setting Values on Low and High Thresholds in Alerts Module [Albums] Disable the other panel's buttons when the Album on the other panel is in edit mode Improve text in Deleted Selections CS-8209 Lookup for selecting attributes should select nodes on search Add filtered search to SingleValueLookup that uses Order SingleValueLookup that uses Icon Security / 2FA Add traceability when user tries to login on CSWEB using 2FA - New status Security / 2FA Add riaceability when user tries to login on CSWEB using 2FA - New status Security / 2FA Add riaceability when user tries to login on CSWEB using 2FA - New status Security / 2FA Add filtered search to SingleValueLookup that uses Order Security / 2FA Add filtered search to Security / 2FA Add f	C3-9703		Security / ZFA	
CS-9766 user based on the global 2FA status Security / 2FA				
When trying to log-on on CSWEB, the user should be able to set if the authorization should be remembered in that browser Send 6-digit token to the user via email with instructions on how to proceed In the Security page, the admin should not be able to enable 2FA if the user is using Single Sign-On (Windows Authentication) CS-9878 Security / 2FA Ensure 2FA is not applied on any case using APIs When the Admin user disables 2FA globally, the system should not change all users 2FA status CS-9916 Add traceability when user tries to login on CSWEB using 2FA - New status CS-9997 Options on Login History Show SSL validation notification before 2FA confirmation dialog CS-5813 [Web] Setting Values on Low and High Thresholds in Alerts Module [Albums] Disable the other panel's buttons when the Album on the other panel is in edit mode CS-10022 [Improve text in Deleted Selections of the selection when deleting an item from the selection list of Selection type attribute CS-10026 CS-8209 Lookup for selecting attributes should select nodes on search SingleValueLookup that uses Chassis Source Type Add filtered search to SingleValueLookup that uses Icon SingleValueLookup that uses Icon West of the user via email Security / 2FA Alexter's Thresholds of Security / 2FA Alexter's Thresholds of Security / 2FA Alexter's Thresholds of Security / 2FA Assets / Album Attributes / Details 30760 Attributes / Security / 2FA Assets Search Picker Components / Assets Search Picker Add filtered search to SingleValueLookup that uses Order SingleValueLookup that uses Icon Assets Search Picker Components / Assets Search Picker Add filtered search to SingleValueLookup that uses Icon Assets Search Picker Components / Assets Search Picker Add filtered search to SingleValueLookup that uses Icon	CS-9766		Security / 2FA	
user should be able to set if the authorization should be remembered in that browser Send 6-digit token to the user via email with instructions on how to proceed In the Security page, the admin should not be able to enable 2FA if the user is using Single Sign-On (Windows CS-9879 Authentication) Ensure 2FA is not applied on any case using APIs Security / 2FA When the Admin user disables 2FA globally, the system should not change all users 2FA status CS-9916 Add traceability when user tries to log- in on CSWEB using 2FA - New status options on Login History Show SSL validation notification before CS-9997 ZFA confirmation dialog [Web] Setting Values on Low and High Thresholds in Alerts Module [Albums] Disable the other panel's buttons when the Album on the other panel is in edit mode Improve text in Deleted Selections dialog No Restriction when deleting an item from the selection list of Selection type dialog CS-10026 Lookup for selecting attributes should select nodes on search Add filtered search to SingleValueLookup that uses Order SingleValueLookup that uses Icon Add filtered search to SingleValueLookup that uses Icon Assets Search Source Type Add filtered search to SingleValueLookup that uses Icon Assets Search Source Type Add filtered search to SingleValueLookup that uses Icon Assets Search Source Type Add filtered search to SingleValueLookup that uses Icon Assets Search Picker	CS 3700		Security / ZIA	
authorization should be remembered in that browser Send 6-digit token to the user via email with instructions on how to proceed In the Security page, the admin should not be able to enable 2FA if the user is using Single Sign-On (Windows CS-9879 Authentication) Security / 2FA Ensure 2FA is not applied on any case using APIs When the Admin user disables 2FA globally, the system should not change all users 2FA status Add traceability when user tries to login on CSWEB using 2FA - New status CS-9997 options on Login History Show SSL validation notification before 2FA confirmation dialog CS-9998 [Web] Setting Values on Low and High Thresholds in Alerts Module [Albums] Disable the other panel's buttons when the Album on the other panel is in edit mode CS-10022 pale is in edit mode CS-10151 dialog No Restriction when deleting an item from the selection list of Selection type attribute Security / Security / Security Security / Security Security / Securi				
CS-9768				
Send 6-digit token to the user via email with instructions on how to proceed In the Security page, the admin should not be able to enable 2FA if the user is using Single Sign-On (Windows Authentication) Security / 2FA	CS-9768		Security / 2FA	
CS-9878 with instructions on how to proceed Security / 2FA				
In the Security page, the admin should not be able to enable 2FA if the user is using Single Sign-On (Windows Authentication) Ensure 2FA is not applied on any case using APIs When the Admin user disables 2FA globally, the system should not change all users 2FA status CS-9916 CS-9916 CS-9917 Add traceability when user tries to login on CSWEB using 2FA - New status options on Login History Show SSL validation notification before 2FA confirmation dialog CS-9998 [Web] Setting Values on Low and High Thresholds in Alerts Module [Albums] Disable the other panel's buttons when the Album on the other panel is in edit mode CS-10022 Improve text in Deleted Selections dialog CS-10151 No Restriction when deleting an item from the selection list of Selection type attribute CS-10026 CS-10026 CS-9852 CS-9852 Add filtered search to SingleValueLookup that uses Order SingleValueLookup that uses Icon Assets Search Picker Components / Assets Search Picker Add filtered search to SingleValueLookup that uses Icon SingleValueLookup that uses Icon Assets Search Picker Components / Assets Search Picker Add filtered search to SingleValueLookup that uses Icon SingleValueLookup that uses Icon SingleValueLookup that uses Icon Assets Search Picker Components / Assets Search Picker Add filtered search to SingleValueLookup that uses Icon Assets Search Picker Components / Assets Search Picker Add filtered search to SingleValueLookup that uses Icon Assets Search	CS-9878		Security / 2FA	
not be able to enable 2FA if the user is using Single Sign-On (Windows CS-9879 Authentication) Ensure 2FA is not applied on any case using APIs When the Admin user disables 2FA globally, the system should not change all users 2FA status Security / 2FA When the Admin user disables 2FA globally, the system should not change all users 2FA status Security / 2FA Add traceability when user tries to login on CSWEB using 2FA - New status options on Login History Show SSL validation notification before 2FA confirmation dialog Security / 2FA Show SSL validation notification before 2FA confirmation dialog Security / 2FA Security				
CS-9879 Authentication) Ensure 2FA is not applied on any case using APIs When the Admin user disables 2FA globally, the system should not change all users 2FA status CS-9916 Add traceability when user tries to login on CSWEB using 2FA - New status options on Login History Show SSL validation notification before CS-9998 2FA confirmation dialog CS-5813 Thresholds in Alerts Module [Web] Setting Values on Low and High Thresholds in Alerts Module [Albums] Disable the other panel's buttons when the Album on the other cS-10022 panel is in edit mode Improve text in Deleted Selections dialog No Restriction when deleting an item from the selection list of Selection type attribute CS-10026 Add filtered search to SingleValueLookup that uses Chassis CS-9853 Source Type Add filtered search to SingleValueLookup that uses Icon Escurity / 2FA Security /		, , , , ,		
CS-9879 Authentication) Ensure 2FA is not applied on any case using APIs When the Admin user disables 2FA globally, the system should not change all users 2FA status CS-9916 Add traceability when user tries to login on CSWEB using 2FA - New status options on Login History Show SSL validation notification before CS-9998 2FA confirmation dialog CS-5813 Thresholds in Alerts Module [Web] Setting Values on Low and High Thresholds in Alerts Module [Albums] Disable the other panel's buttons when the Album on the other cS-10022 panel is in edit mode Improve text in Deleted Selections dialog No Restriction when deleting an item from the selection list of Selection type attribute CS-10026 Add filtered search to SingleValueLookup that uses Chassis CS-9853 Source Type Add filtered search to SingleValueLookup that uses Icon Escurity / 2FA Security /		using Single Sign-On (Windows		
CS-9883	CS-9879		Security / 2FA	
CS-9883		Ensure 2FA is not applied on any case		
GS-9916 all users 2FA status Add traceability when user tries to login on CSWEB using 2FA - New status CS-9997 options on Login History Show SSL validation notification before CS-9998 2FA confirmation dialog [Web] Setting Values on Low and High CS-5813 Thresholds in Alerts Module [Albums] Disable the other panel's buttons when the Album on the other panel is in edit mode [Mo Restriction when deleting an item from the selection list of Selection type attribute CS-10151 Select nodes on search Add filtered search to SingleValueLookup that uses Order CS-9853 Source Type Add filtered search to SingleValueLookup that uses Icon Add filtered search to SingleValueLookup that uses Icon Security / 2FA Sec	CS-9883	l	Security / 2FA	
CS-9916 all users 2FA status Add traceability when user tries to login on CSWEB using 2FA - New status CS-9997 options on Login History Show SSL validation notification before CS-9998 2FA confirmation dialog [Web] Setting Values on Low and High CS-5813 Thresholds in Alerts Module [Albums] Disable the other panel's buttons when the Album on the other panel is in edit mode CS-10022 panel is in edit mode Improve text in Deleted Selections dialog No Restriction when deleting an item from the selection list of Selection type datribute CS-8209 Lookup for selecting attributes should CS-10026 select nodes on search Add filtered search to SingleValueLookup that uses Chassis CS-9852 Source Type Add filtered search to SingleValueLookup that uses Order CS-9853 Source Type Add filtered search to SingleValueLookup that uses Icon Assets Search Components / Assets Search Picker Add filtered search to SingleValueLookup that uses Icon Components / Assets Search Picker Add filtered search to SingleValueLookup that uses Icon Components / Assets Search		When the Admin user disables 2FA		
Add traceability when user tries to login on CSWEB using 2FA - New status options on Login History Show SSL validation notification before 2FA confirmation dialog [Web] Setting Values on Low and High Thresholds in Alerts Module [Albums] Disable the other panel's buttons when the Album on the other panel is in edit mode [Security / 2FA Alerts / 2FA Al		globally, the system should not change		
in on CSWEB using 2FA - New status options on Login History Show SSL validation notification before 2FA confirmation dialog [Web] Setting Values on Low and High Thresholds in Alerts Module [Albums] Disable the other panel's buttons when the Album on the other panel is in edit mode CS-10022 panel is in edit mode Improve text in Deleted Selections CS-10151 dialog No Restriction when deleting an item from the selection list of Selection type CS-8209 attribute Lookup for selecting attributes should CS-10026 select nodes on search Add filtered search to SingleValueLookup that uses Order CS-9853 Source Type Add filtered search to SingleValueLookup that uses Icon Assets Search Components / Assets Search Picker Add filtered search to Components / Assets Search Picker Add filtered search to Components / Assets Search Picker Add filtered search to Components / Assets Search Picker Add filtered search to Components / Assets Search Picker Add filtered search to Components / Assets Search Picker Add filtered search to Components / Assets Search Picker Add filtered search to Components / Assets Search Picker Add filtered search to SingleValueLookup that uses Icon Assets Search	CS-9916		Security / 2FA	
CS-9997 options on Login History Show SSL validation notification before CS-9998 2FA confirmation dialog [Web] Setting Values on Low and High Thresholds in Alerts Module [Albums] Disable the other panel's buttons when the Album on the other CS-10022 panel is in edit mode Improve text in Deleted Selections dialog No Restriction when deleting an item from the selection list of Selection type CS-8209 attribute Lookup for selecting attributes should CS-10026 select nodes on search Add filtered search to SingleValueLookup that uses Chassis CS-9852 Source Type Add filtered search to SingleValueLookup that uses Order CS-9853 Source Type Add filtered search to SingleValueLookup that uses Icon Assets Search Picker Add filtered search to Components / Assets Search Picker Add filtered search to Components / Assets Search Picker Add filtered search to Components / Assets Search Picker Add filtered search to Components / Assets Search Picker Add filtered search to Components / Assets Search Picker Add filtered search to Components / Assets Search Picker Add filtered search to SingleValueLookup that uses Icon Assets Search Picker		· · · · · · · · · · · · · · · · · · ·		
Show SSL validation notification before 2FA confirmation dialog Security / 2FA [Web] Setting Values on Low and High Thresholds in Alerts Module [Albums] Disable the other panel's buttons when the Album on the other panel is in edit mode CS-10022 Improve text in Deleted Selections dialog CS-10151 No Restriction when deleting an item from the selection list of Selection type Attributes / Details CS-8209 Attribute CS-10026 Lookup for selecting attributes should Select nodes on search Add filtered search to SingleValueLookup that uses Chassis CS-9852 Source Type Add filtered search to SingleValueLookup that uses Order Assets Search Picker Add filtered search to SingleValueLookup that uses Order Source Type Add filtered search to SingleValueLookup that uses Icon Components / Assets Search Picker Components / Assets Search CCS-9853 Source Type Add filtered search to Components / Assets Search CCS-9854 Source Type Add filtered search to Components / Assets Search CCS-9855 Source Type Add filtered search to Components / Assets Search CCS-9853 Source Type Add filtered search to Components / Assets Search CCS-9854 Source Type Add filtered search to Components / Assets Search CCS-9855 Source Type Add filtered search to Components / Assets Search		_		
CS-9998 2FA confirmation dialog Security / 2FA [Web] Setting Values on Low and High Thresholds in Alerts Module Thresholds in Alerts Module [Albums] Disable the other panel's buttons when the Album on the other panel is in edit mode CS-10022 panel is in edit mode Improve text in Deleted Selections dialog No Restriction when deleting an item from the selection list of Selection type CS-8209 attribute Lookup for selecting attributes should CS-10026 select nodes on search Add filtered search to SingleValueLookup that uses Chassis CS-9852 Source Type Add filtered search to SingleValueLookup that uses Order CS-9853 Source Type Add filtered search to SingleValueLookup that uses Icon Add filtered search to Components / Assets Search Picker Add filtered search to Components / Assets Search Picker Add filtered search to Components / Assets Search Picker Add filtered search to Components / Assets Search Picker Add filtered search to Components / Assets Search Picker Add filtered search to Components / Assets Search Picker Add filtered search to Components / Assets Search Picker Add filtered search to SingleValueLookup that uses Icon Assets Search	CS-9997	· · · · · · · · · · · · · · · · · · ·	Security / 2FA	
CS-5813 [Web] Setting Values on Low and High Thresholds in Alerts Module [Albums] Disable the other panel's buttons when the Album on the other panel is in edit mode Improve text in Deleted Selections dialog Details No Restriction when deleting an item from the selection list of Selection type Attributes / Details 30760 CS-8209 Lookup for selecting attributes should Lookup for selecting attributes should Select nodes on search Search Picker Add filtered search to SingleValueLookup that uses Chassis CS-9852 Source Type Add filtered search to SingleValueLookup that uses Order Source Type Add filtered search to SingleValueLookup that uses Order Source Type Add filtered search to SingleValueLookup that uses Icon Assets Search Source Type Add filtered search to SingleValueLookup that uses Icon Assets Search Source Type Add filtered search to SingleValueLookup that uses Icon Assets Search				
CS-5813 Thresholds in Alerts Module [Albums] Disable the other panel's buttons when the Album on the other panel is in edit mode [CS-10022] panel is in edit mode [Improve text in Deleted Selections dialog [No Restriction when deleting an item from the selection list of Selection type attribute [CS-8209] Lookup for selecting attributes should believed to SingleValueLookup that uses Chassis [CS-9852] Source Type [CS-9853] Source Type [CS-9853] Add filtered search to SingleValueLookup that uses Order CS-9853 Source Type [CS-9854] Add filtered search to SingleValueLookup that uses Icon [CS-9855] Source Type [CS-9856] Add filtered search to SingleValueLookup that uses Icon [CS-9857] Assets Search Picker [CS-9858] Add filtered search to SingleValueLookup that uses Icon [CS-9859] Assets Search Picker [CS-9859] Add filtered search to SingleValueLookup that uses Icon [CS-9850] Assets Search Picker [CS-9851] Add filtered search to SingleValueLookup that uses Icon [CS-9853] Assets Search Picker [CS-9854] Add filtered search to SingleValueLookup that uses Icon [CS-9855] Assets Search Picker [CS-9856] Add filtered search to SingleValueLookup that uses Icon	CS-9998			
[Albums] Disable the other panel's buttons when the Album on the other panel is in edit mode CS-10022 panel is in edit mode Improve text in Deleted Selections dialog No Restriction when deleting an item from the selection list of Selection type attribute Lookup for selecting attributes should CS-10026 Select nodes on search Add filtered search to SingleValueLookup that uses Chassis CS-9852 Source Type Add filtered search to SingleValueLookup that uses Order CS-9853 Source Type Add filtered search to SingleValueLookup that uses Order CS-9853 Source Type Add filtered search to SingleValueLookup that uses Order CS-9854 Source Type Add filtered search to SingleValueLookup that uses Order CS-9855 Source Type Add filtered search to SingleValueLookup that uses Icon Components / Assets Search Picker Add filtered search to SingleValueLookup that uses Icon Assets Search				
buttons when the Album on the other CS-10022 panel is in edit mode Improve text in Deleted Selections CS-10151 dialog No Restriction when deleting an item from the selection list of Selection type CS-8209 attribute Lookup for selecting attributes should CS-10026 select nodes on search Add filtered search to SingleValueLookup that uses Chassis CS-9852 Source Type Add filtered search to SingleValueLookup that uses Order CS-9853 Source Type Add filtered search to SingleValueLookup that uses Order CS-9853 Source Type Add filtered search to SingleValueLookup that uses Icon Assets Search Picker Components / Assets Search Picker Assets Search Components / Assets Search Picker Add filtered search to SingleValueLookup that uses Icon Assets Search	CS-5813		Thresholds	27349
CS-10022 panel is in edit mode Improve text in Deleted Selections CS-10151 dialog No Restriction when deleting an item from the selection list of Selection type CS-8209 attribute Lookup for selecting attributes should CS-10026 select nodes on search Add filtered search to SingleValueLookup that uses Chassis CS-9852 Source Type Add filtered search to SingleValueLookup that uses Order CS-9853 Source Type Add filtered search to SingleValueLookup that uses Order CS-9853 Source Type Add filtered search to SingleValueLookup that uses Order CS-9854 Source Type Add filtered search to SingleValueLookup that uses Order CS-9855 Source Type Add filtered search to SingleValueLookup that uses Icon Components / Assets Search Picker Add filtered search to SingleValueLookup that uses Icon Assets Search				
Improve text in Deleted Selections dialog No Restriction when deleting an item from the selection list of Selection type attribute Lookup for selecting attributes should Select nodes on search Add filtered search to SingleValueLookup that uses Chassis Source Type Add filtered search to SingleValueLookup that uses Order Source Type Add filtered search to SingleValueLookup that uses Order Add filtered search to SingleValueLookup that uses Order Assets Search Picker Add filtered search to Components / Assets Search Picker Add filtered search to Components / Assets Search Picker Add filtered search to Components / Assets Search Picker Add filtered search to Components / Assets Search Picker Add filtered search to Components / Assets Search Picker Add filtered search to Components / Assets Search Picker	66 10000			
CS-10151 dialog No Restriction when deleting an item from the selection list of Selection type CS-8209 attribute Lookup for selecting attributes should CS-10026 select nodes on search Add filtered search to SingleValueLookup that uses Chassis CS-9852 Source Type Add filtered search to SingleValueLookup that uses Order CS-9853 Source Type Add filtered search to SingleValueLookup that uses Order CS-9853 Source Type Add filtered search to SingleValueLookup that uses Order Add filtered search to SingleValueLookup that uses Order Assets Search Picker Components / Assets Search Picker Add filtered search to SingleValueLookup that uses Icon Assets Search	CS-10022	•	•	
No Restriction when deleting an item from the selection list of Selection type attribute / Details 30160, Details 30760 Lookup for selecting attributes should	66 10151	·	1	
from the selection list of Selection type attributes / attribute	CS-10151		Details	20775
CS-8209 attribute Details 30760 Lookup for selecting attributes should Attributes / Search Picker Add filtered search to SingleValueLookup that uses Chassis CS-9852 Source Type Picker Add filtered search to SingleValueLookup that uses Order CS-9853 Source Type Picker Add filtered search to SingleValueLookup that uses Order Assets Search Picker Add filtered search to SingleValueLookup that uses Order Picker Add filtered search to SingleValueLookup that uses Icon Assets Search			Attributes /	
Lookup for selecting attributes should Select nodes on search Add filtered search to SingleValueLookup that uses Chassis Source Type Add filtered search to SingleValueLookup that uses Order SingleValueLookup that uses Order Add filtered search to SingleValueLookup that uses Order CS-9853 Source Type Add filtered search to SingleValueLookup that uses Icon Attributes / Search Picker Components / Assets Search Picker Add filtered search to SingleValueLookup that uses Icon Assets Search	CC. 9200		1	
CS-10026 select nodes on search Add filtered search to SingleValueLookup that uses Chassis CS-9852 Source Type Add filtered search to SingleValueLookup that uses Order CS-9853 Source Type Add filtered search to SingleValueLookup that uses Order Add filtered search to SingleValueLookup that uses Icon CS-9853 Source Type Add filtered search to SingleValueLookup that uses Icon Assets Search Assets Search Assets Search	C3-0209			30/00
Add filtered search to SingleValueLookup that uses Chassis CS-9852 Source Type Add filtered search to SingleValueLookup that uses Order CS-9853 Source Type Add filtered search to SingleValueLookup that uses Order Add filtered search to SingleValueLookup that uses Icon Assets Search Picker Add filtered search to SingleValueLookup that uses Icon Assets Search	CS 10036		1	
SingleValueLookup that uses Chassis CS-9852 Source Type Add filtered search to SingleValueLookup that uses Order CS-9853 Source Type Add filtered search to SingleValueLookup that uses Order CS-9853 Source Type Add filtered search to SingleValueLookup that uses Icon SingleValueLookup that uses Icon Assets Search Components / Assets Search	CS-10026			
CS-9852 Source Type Picker Add filtered search to Components / SingleValueLookup that uses Order Assets Search CS-9853 Source Type Picker Add filtered search to Components / SingleValueLookup that uses Icon Assets Search			•	
Add filtered search to SingleValueLookup that uses Order CS-9853 Source Type Add filtered search to SingleValueLookup that uses Icon Add filtered search SingleValueLookup that uses Icon Components / Assets Search	CS-9852			
SingleValueLookup that uses Order Assets Search CS-9853 Source Type Picker Add filtered search to Components / SingleValueLookup that uses Icon Assets Search	00 7002			
CS-9853 Source Type Picker Add filtered search to Components / SingleValueLookup that uses Icon Assets Search				
Add filtered search to Components / SingleValueLookup that uses Icon Assets Search	CS-9853	l		
SingleValueLookup that uses Icon Assets Search				
· · · · · · · · · · · · · · · · · · ·				
	CS-9854			



	Fix security vulnerabilities by upgrading	
CS-4162	jQuery, Moment, and Bootstrap	CSWEB
	Increase the character limit of Widget	
CS-9346	name	Dashboard
	Clicking the Date field clears the value	!
CS-10204	to show the date picker	Date and Time
	Add an option to Connections Import to	Import /
CS-10180	skip Empty Ports when disconnecting	Connections
		Security
CS-2855	Update Marionette to v3.4+	Updates
	Fix security vulnerabilities by upgrading	Security
CS-4162	jQuery, Moment, and Bootstrap	Updates
	Expose SNMP async methods in SOAP	
CS-10036	API	SOAP API
	Update Scripting documentation so that	
	it talks about async methods and config	
CS-10150	parameters	SOAP API
CS-10157	SOAP API: New History Endpoint	SOAP API
	Adjust left panels that have informative	
	Text so that they can be well-resized	
CS-10030	when using resizable panel	User Interface
	Improve the messages for some Asset	
CS-9882	tabs with blank pages.	User Interface

9.5 List of Bugs Resolved in 12.1.0

Item Key	Summary	Cormant Component	Customer Case Number
CS-10073	[Albums] Showing the attachment's context menu and then clicking the History tab, displays blank page and generates console error	Admin / Album	
CS-10203	The last used template when creating an album is set automatically in the Album search criteria, Template field	Admin / Album	
CS-10202	[Admin Album] Album Template is not cleared when clicking the Clear button	Admin / Album	
CS-10131	Exporting Albums exports all of the items searched in the list	Admin / Album	
CS-10074	[Albums] Server error when opening an attachment that is deleted from the database	Admin / Attachment	
CS-10071	[Small Screen] Album attachment context menu under Admin>Albums is not showing	Admin / Attachment	
CS-9994	If FileStream DB was previous deleted, on Album Settings the user should be able to set Allow Upload Files to No	Album Configuration and settings	
CS-9376	[Albums] Setting 'Today' as default value for Date-type album attributes shows as 01/01/2001 on Assets module	Album Configuration and settings	



	T	T	
CS-10218	Cannot create an album with a date attribute set to a default date	Album Configuration and settings	
CS-10023	In the Admin > System Settings > Albums tab, the Quick Search field (from top-bar menu) shows the wrong placeholder text	Album Configuration and settings	
CS-10293	User with View-only permission to the component/space can link/unlink an album	Album Linking and Unlinking	
CS-9623	[Alerts Module] The vertical line of the resizable panel is not displayed	Alerts	
CS-10123	Alerts Export - display DC and Rack columns missing on Export	Alerts	
CS-10208	[Alerts] Unable to delete enabled Data Center	Alerts	
CS-3420	[Web] No restriction when creating a threshold with no Value Attribute or Max Value Attribute	Alerts / Thresholds	
CS-9228	Deleting the Color Range/s will also delete the Thresholds.	Alerts / Thresholds	30420
CS-10011	In the Thresholds some columns are not displaying the X icon properly	Alerts / Thresholds	
CS-9428	[Android] Exception error when updating template on the Android	Android / Assets	
CS-9414	[Android] Date attributes still consider the character length even though it is set to Date data-type.	Android / Assets	
CS-10090	[Android] On History tab, the From value is empty when changing a date attribute	Android / Assets	
CS-9413	[Android] Unable to add a component with default value on date fields	Android / Assets	
CS-9432	[Move Here] Date attribute not existing to the component shows invalid date	Android / Move Here	
CS-10067	Unfriendly error message when opening album file if filestream database exists but is offline	Assets / Album	
CS-10042	[Albums] Pressing the 'Enter' button when capturing images generates console error	Assets / Album	
CS-9989	[Album] There's a typo when showing the validation message for Album File	Assets / Album	
CS-10078	[Albums] Attachments context-menu delete and rename actions are not disabled on edit	Assets / Album	
CS-10259	Albums not created according to the component's Zones permissions	Assets / Album	
CS-10154	Unconventional warning message style when template is blank	Assets / Components	
CS-10153	Error notification when changing Space lookup in Add Components dialog	Assets / Components	
CS-8984	Conduits tab leaves edit mode when adding or moving to a different tab on the other panel	Assets / Conduits	



	Deleting cable via the Details tab		
CS-10173	results in Loading state of the	Assets /	
	Connections tab and the 'Unable to	Connections	
	Complete Request' page		
CS-8898	Connecting ports when Connectivity is	Assets /	
C5 0030	Disabled should be restricted	Connections	
CS-10096	Show the component's ports when the	Assets /	
C2-10090	barcode is entered in the To Port	Connections	
66 6666	[Import] The Connection Tree appears	Assets /	
CS-9980	to be loading for 5-10 minutes	Connections	
	Channel Detail View has error if part of	Assets /	
CS-10258	the circuit is **Permission Denied**	Connections	
	[Connections] Inconsistent permission	Assets /	
CS-10277	when connecting virtual cables	Connections	
	Ţ	Connections	
66 0000	[Assets] Clicking OK on the data loss	Assets / Data	
CS-8980	warning will let the other panel enables	Loss	
	the Edit button.		
CS-10001	[Rack View] Navigating to different tab	Assets / Data	
	does not cancel edit mode	Loss	
	Clicking 'OK' on the data-loss warning		
CS-10216	dialog causes the Rack View to leave	Assets / Data	
C5 10210	edit mode when clicking different tab	Loss	
	on the right panel		
CS-9127	Assets Details does not load the page if	Accets / Details	
CS-9127	the Attribute has invalid data	Assets / Details	
66 00 10	"Service Environment" not aligned in		
CS-9042	Edit mode of Asset details	Assets / Details	
	Changing Template in Assets Module		
CS-9004	prompts that there are Subcomponents	Assets / Details	30295
	to be deleted when there's None	7.00000 / 2.0000	0020
	In the Add Component dialog, the		
CS-10095	validation message for Template field	Assets / Details	
00 10033	is shown in the wrong place	/ losees / Details	
	Template field should highlight in red		
CS-10137	when adding component/s without a	Assets / Details	
C5 10157	Template value	Assets / Details	
	Selecting a template on an invalid or		
	unknown cable brings up an Album	Assets / Force	
CS-10200	templates selection instead of a Cable	Connect	31294
	templates selection.	Connect	
	Changing the Attribute type for an		
	Attribute that is being used by a		
CS-9126		Assets / History	
	Template can lead to invalid data. Should we allow that?		
CS 0004	[Planview] Add a space between the	Assets / Plan-	
CS-9904	text restriction and the 'Select Image File' button	view	
CC 4674	Navigation confirmation appears while	Assets / Plan-	
CS-4674	editing floor plan when clicking on	view	
	ports in the Asset Tree	A 1 / 5!	
CS-9547	Report - xpos, ypos and vertices report	Assets / Plan-	
	blank	view	
66 10000	[Planview] Searching for a component	Assets / Plan-	
CS-10020	with planview generates a console	view	
	error	1.0	



F	T	1	T
CS-9846	[Planview] Navigating on nested planview while on edit mode does not show the data loss warning message	Assets / Plan- view	
CS-10072	[IOS] Context menu on the Rack View is not showing	Assets / Rack View	
CS-10047	[Rack View] Unable to click the 'Options' button after changing the Rack View to 'Rack Images Only'	Assets / Rack View	
CS-10152	[Rack View] Tooltips don't disappear after moving the equipment within the rack	Assets / Rack View	
CS-5837	Asset Search results is using wrong value for XPos and YPos and Vertices	Assets / Search	
CS-9105	[Search Results] No validation for system-defined numeric attributes when updated via the Search Results tab	Assets / Search	
CS-10075	Data-automation tag missing	Assets / Search	
CS-9739	[Search Results] Export button is still enabled when in Edit mode	Assets / Search	
CS-10048	Asset Search by XPos, YPos, Vertices not working as expected	Assets / Search	
CS-9187	Searching with multiple results from a different Site, if starting space specified is not All Spaces, does not show the root node	Assets / Search	
CS-10199	Search Results rows are not being highlighted according to save results (functionality that existed up to 9.4)	Assets / Search	
CS-10198	Saving empty value for numeric attribute in Search Results tab causes the state of the component after save to be inaccurate	Assets / Search	
CS-8403	Clicking again the active tab that is in Edit mode prompts the confirmation message in the right panel	Assets / Split Screen	
CS-9023	[Assets] No data loss warning when navigating from Rack View to Asset WF while in edit mode	Assets / Tabs	
CS-10210	[Assets] When one tab is set to Hidden, it's possible for the right panel to have no tabs.	Assets / Tabs	
CS-9218	Components are not shown when the tree is showing as shortened.	Assets / Tree	
CS-5928	When deleting an Attribute that's used as HH Attribute, unlink the Attribute in SystemSettings	Attribute / Details	
CS-9561	Attribute with a Selection Data type defaults to the 1st value from the Selection list when used in a Workflow template	Attribute / Details	30689
CS-8913	Selection type attribute must remove blank/space in the list when saved	Attribute / Details	



CS-10006	[Attributes] Error when copy-pasting required selection-type attribute with	Attribute /	
C5 10000	blank default value	Details	
CS-10228	Validation Date attribute field is cleared when deleting a Handheld Attribute	Attribute / Details	
CS-10121	[Reports] The attribute lookup keeps previously checked attributes and needs the user to remove manually if they are not needed	Attributes / Search Picker	
CS-9804	When an attribute is deleted, the Report that uses it throws an error	Attributes / Tree	30899
CS-10138	Cursor focus is lost after making the first search in the Templates and Attributes pages	Attributes / Tree	
CS-6130	[Audit Quick Search] When a searched text has many possible results, cursor focus is lost in the quick search field	Audit Module	
CS-9265	Fix Calculated attribute service log data at info level, far too verbose	Calculated Attributes Service	
CS-7892	Workflow Settings don't have a resizable handle	Configuration	
CS-9939	[Configuration] Workflow Ref Data quick search field shows wrong placeholder text	Configuration	
CS-9932	[Dashboard] Component lookup field value still persists even after cancelling the changes on the Planview widget	Dashboard	
CS-9571	Workflow widget table exceeds dashboard widget content area	Dashboard	
CS-9983	SQL credentials shows in some Service logs when set on Debug mode	Database Wizard	
CS-10054	[Small Screens] 'Fix Errors' toggle button is not aligned with the other buttons	DB Tools	
CS-9957	Page unresponsive when clicking the check all checkbox in any EDIS module > Logs > Actions	EDIS UI	
CS-10213	[Admin Albums] Sorting on the exported file is based on the created column, ignores the sorting set by the user	Export / Album	
CS-3963	[CSWeb] Historical Report Viewer: Bug when selecting the Date range	Historical Report	26316
CS-7612	Historical Report Viewer displays old name of a renamed component.	Historical Report	28445
CS-10051	On SOAP API, an error exception occurs when trying to run ReportServices.GetHistoricalReportDat a endpoint	Historical Report	
CS-10089	On SOAP API, an error exception occurs when trying to run ReportServices.GetReportByID endpoint	Historical Report	



CS-9946	Error when attempting to rename component via import	Imports	31029
CS-9897	Unable to use Subscription license when installing Server	Licensing	
CS-9250	Fix indexing/query for Offline sync log. Takes about 45 seconds to load on DCIM11 server (been running for a year)	Offline Sync Manager / Logs	
CS-9422	Include username in the Offline sync log on Error	Offline Sync Manager / Logs	
CS-8904	No data loss warning when leaving the User Profile Settings while in Edit mode	Per-User Settings	
CS-9921	In the System Settings > Workflow Settings tab, the Quick Search field (from top-bar menu) shows the wrong placeholder text	Quick Search	
CS-9841	Buttons in long toolbars of some pages resize when hovered in small screen	Reports	
CS-7557	Issues with 'Overlapping Allowed' attribute when used in Reports	Reports / Custom Reports	
CS-8921	Overlapping Allowed displays wrong value in Reports	Reports / Custom Reports	
CS-10156	Error encountered in Report related to ServiceBehaviorAttribute or Couldn't store <> in Sort0 Column	Reports / Custom Reports	
CS-9694	[Historical Report] Unfriendly error when entering an invalid date in the initial date field	Reports / Historical Reports	
CS-8922	[Scripts] Saving changes on References tab will result to 'String or binary data would be truncated' error	Scripts / Details	
CS-4221	ComponentServices: Invoking GetComponentAttributeValueByAttribut eName throws System.ArgumentNullException: Value cannot be null.	SOAP API	30626
CS-4219	[CSWebAPI] ReportServices.GetHistoricalReportDat aByNearestTimeStampAndParent does not work	SOAP API	
CS-4218	[CSWebAPI] ReportServices.GetHistoricalReportDat aByNearestTimeStamp does not work	SOAP API	
CS-4217	[CSWebAPI] ReportServices.GetHistoricalReportDat aByComponent not working	SOAP API	
CS-4216	[CSWebAPI] ReportServices.GetHistoricalReportDat a not working	SOAP API	
CS-4207	[WebAPI] ReportServices.GetReportAttributes shows an error	SOAP API	
CS-4205	[WebAPI] ReportServices methods that do not return data in 912	SOAP API	



	T =	ı	
CS-8088	TryUpdateComponentAttributeValueBy ComponentID Null value for Space	SOAP API	29699
C5 0000	Attribute does not log History	JOAI AII	23033
CS-9593	ComponentServices.RenameComponen t doesn't rename subcomponents	SOAP API	30696
CS-10184	SnmpServices methods that have default component as "AllSpaces" when invoked	SOAP API	
CS-10183	CSWEBAPI SnmpServices methods that are showing error when invoked because they are missing component parameter	SOAP API	
CS-6160	[WebAPI] ReportServices: GetUserReport gets a System.NullReferenceException error	SOAP API	
CS-10197	It's possible to save invalid numeric component attribute value via the SOAP API	SOAP API	
CS-9138	[Templates] Default date value is not propagating on the existing components of that Template	Templates / Attributes	
CS-9950	Moving a template group Cables into a new template group causes a loading issue when creating connections.	Templates / Attributes	31019
CS-10235	[Templates] Setting a Template default value simultaneously with [Today] value does not propagate to existing components	Templates / Attributes	
CS-10219	[Templates] Inconsistent date-type attribute values in Template_Attrib table when adding vs updating	Templates / Attributes	
CS-10088	Error logged in console when searching for a template in Admin -> Configuration -> Templates -> Other Templates	Templates / Search	
CS-10025	Lookup for selecting templates does not select nodes on search (some broken, some working)	Templates / Search	
CS-10070	CS context links do not have a dotted underline on any iOS browsers	User Interface	
CS-9625	Unintended horizontal scrollbar in some pages	User Interface	
CS-7944	Fix CsWeb client code that relies on RegExp without escaping special characters	User Interface	
CS-8934	Some special characters show as HTML character codes on some notifications	User Interface	
CS-9814	[Users and Roles] Unnecessary horizontal scroll bar in the Permissions tab	User Interface	
CS-9914	[Zones] 'Add Zone' button is still enabled when the Details tab is in Edit mode	User Management / Zones	
CS-10177	[Zones] Deleting a zone while it's being edited then navigating away prompts a data-loss confirmation	User Management / Zones	



	I	T	
CS-9865	[User Settings] Default Dashboard becomes blank after deleting the configured dashboard	User Profile	
CS-10041	Workflow Settings panels resizing on cancel edit	Workflow	
CS-9031	Order can be completed even if some Tasks are not canceled nor completed yet.	Workflow	
CS-4759	Workflow: Mark Installed Button still grayed out, after device was removed from Destination Location.	Workflow	
CS-10117	[Workflow] Current Location not being updated after moving the component	Workflow	
CS-10087	Workflow filter remembers first-used value for entire session	Workflow	
CS-10195	Workflow tab Move dialog changes attribute without logging to history if a workflow exception occurs	Workflow	
CS-10068	[Workflow] Rack/Location lookup will not show the tree, unless the Data Center is saved	Workflow	
CS-10105	[Workflow] Rack/Location lookup don't show the tree if the DataCenter is changed to empty	Workflow	
CS-10166	[WF] Mark Installed button is not greyed out when you create a device in the destination Rack/Location	Workflow	
CS-10145	Unable to complete an Order with multiple tasks Canceled or Draft	Workflow	
CS-10129	Reserved port display bug when provisioning port connection in WF	Workflow	31219
CS-10125	Undoing a patch not working	Workflow	
CS-10118	Workflow: Loading of edit provision is slow using Customer DB	Workflow	31139
CS-9341	[Workflow] Setting 'Today' as default value of Date Fields attributes shows as '1/1/2001' on Task Details tab	Workflow	
CS-9152	[Workflow] Filter's date format doesn't persist after refresh, value becomes 'invalid date' after the second refresh	Workflow	
CS-9337	[Asset Workflow] Saving an invalid date in the Workflow module will cause an error in the Asset Workflow	Workflow	

9.6 List of Bugs Resolved in 12.0.1

Item Key	Summary	Cormant Component	Customer Case Number
CS-10111	Upgrade script refers to IsHydra and causes issues	Database Wizard	
CS-10112	Create a new build package that includes new CormantCS DB's and	Install Package	



	DBUpgradeSchema SQL script		
CS-10113	Change OSS to IsHydra issue	Offline Sync Service	



9.7 List of Enhancements in 12.0.0

Item Key	Summary	Cormant Component	Customer Case Number
CS-8704	[Album] Create a new Album Attribute Group to hold specific attributes for Albums	Albums	
CS-8707	[Albums Admin] Implement the basic UI Layout for the new Album module	Albums	
CS-8708	[Albums Admin] Add ability to filter and search albums	Albums	
CS-8709	[Album] Add ability to see album attribute values	Albums	
CS-8711	[Album] Add ability to delete an album	Albums	
CS-8712	[Album] Add ability to link an album to another component	Albums	
CS-8717	[Album] Create a new dialog to handle the Add File/Link feature [Album] Add ability to find existing	Albums	
CS-8718	albums [Album] Add ability to include (attach) a	Albums	
CS-8719	new file [Album Permissions] In the Permissions	Albums	
CS-8721	tab, include a new row for the Albums module	Albums	
CS-8723	Add "Link/Unlink Album" records to Assets History	Albums	
CS-8725	[Album Permissions] Implement Album Permissions	Albums	
CS-8726	Create a new Album History Table(s) to track all changes related to Albums similar to Asset History	Albums	
CS-8861	[Config] Create Admin > System Settings > Albums page	Albums	
CS-8865	[Album] Add ability to manage Files in an Album (display the files, download, delete, add button)	Albums	
CS-8868	[Album] Add ability to unlink album from a component	Albums	
CS-9026	[Albums Admin] Add Albums Details tab to view/update album attribute values of selected Albums	Albums	
CS-9059	[Albums Admin] Add ability to unlink components from an album	Albums	
CS-9065	[Album] Add ability to link an album to another component using Drag & Drop	Albums	
CS-9116	Add content to new Admin>Album History tab - similar layout to Asset History	Albums	
CS-9119	[Album] Add ability to Delete an album when unlinking the last component from	Albums	



	that album	
CS-9120	[Album] Add ability to change the Display Name of a File/Link	Albums
CS-9121	[Album] Add ability to delete a File/Link	Albums
CS-9122	[Album] Add ability to display extra information about a file/link when hovering-over the icon	Albums
CS-9143	[Config] Add ability to configure the allowed File Extensions	Albums
CS-9190	[Albums] In the Assets > Albums tab, allow the user to upload a file by just dropping a file in the Attachments region	Albums
CS-9201	[Album Permissions] Implement Zone Permissions	Albums
CS-9211	Add button to open device camera and take a picture and attach to an album.	Albums
CS-9235	[Albums Admin] Add Components tab details	Albums
CS-9239	Search Results Grid Column for the number of linked components	Albums
CS-9240	Add Show Orphans option on Albums Search	Albums
CS-9241	Only Albums that the user has component View or greater rights to will be shown on the Albums Search Results grid	Albums
CS-9278	Change the Picture / Icon that represents an Album according with Album Type Color	Albums
CS-9287	Various UI adjustments to Admin > System Settings > Albums > File Extensions configuration	Albums
CS-9306	Ability to take a photo and Add an album with the photo in one go.	Albums
CS-9307	Open files in a new tab	Albums
CS-9308	Admin Albums Search Results should be exportable to PDF/XLS/CSV	Albums
CS-9320	Display Albums in the order of the Color Type	Albums
CS-9321	Album templates need to use Icons and colors based on Type	Albums
CS-9401	Limit album file selection to allowed extensions	Albums
CS-9545	Add ability to use Quick Search on Albums Module	Albums
CS-9612	Always-visible drag/drop area in Album attachments Add ability to remember decision when	Albums
CS-9657	confirming album file upload via drag/drop	Albums



	Add a way to display the Channel Details		
	of a connection in CS Web Connection	Assets /	
CS-6688	Module	Connections	27936
	Channel View User will be able to add	Assets /	
CS-8829	Columns to the Channel View layout	Connections	
	Channel View Users will be able to define		
	which columns to display in the channel	Assets /	
CS-8830	View via an options dialog	Connections	
	[Channel Details View] Display the view		
	as a Basic Table (all data displayed in	Assets /	
CS-9280	different cells and rows)	Connections	
	[Channel Details View] Add ability to		
66 0201	display imagens and icons on the table-	Assets /	
CS-9281	grid	Connections	
	On Connections tab, change how connection tab buttons behave for the	Accete /	
CC 0249	new Channel Details View	Assets /	
CS-9348		Connections	
CC 0411	Add attributes units to Channel View attribute values	Assets / Connections	
CS-9411	attribute values		
CS-9487	Channel Dataile View VIC evenert	Assets / Connections	
CS-9467	Channel Details View - XLS export		
CC 0499	Channel Dataile View DDE avacet	Assets /	
CS-9488	Channel Details View - PDF export Channel Details View - Add a CS	Connections	
	hyperlink to the items in the Port / Cable	Assets /	
CS-9490	column	Connections	
C3-9490	Channel Details View - All Components in	Assets /	
CS-9494	details grids should be Hyper linkable	Connections	
	Add hyperlinks to exported XLS on	Assets /	
CS-9702	Channel Details View	Connections	
	Add CS ID to hover over Cursor text on		
CS-8957	asset Details screens	Assets / Details	
	Remove the dots / data points from the		
	historical reports in assets module and	Assets /	
CS-9600	reports module.	Historical Report	
	Investigate speed of Plan View, Fix if		
	possible Create cases if longer time is	Assets / Plan	
CS-9403	required	View	
	Keep Plan View tab in memory when	Assets / Plan	
CS-9455	navigating back and forth the tab	View	
	Re-use same Plan View data when	Assets / Plan	
CS-9456	opening the tab on another panel	View	
	Improve responsiveness of Plan View by	A	
66 6457	offloading part of the processing to	Assets / Plan	
CS-9457	separate threads	View	
66 0450	Show loading spinner when entering or	Assets / Plan	
CS-9458	leaving Edit Mode in Plan View	View	
66 0450	Do not show rack equipment of nested	Assets / Plan	
CS-9459	plans in Plan View	View	
	Rack View options dialog for Device	Accete / Dock	
CS-9799	Attributes should be Add/Remove Attribute(s)	Assets / Rack View	
C3-3/33	` '	VICVV	
CS-9326	Attributes and Templates UX when changing contexts / tabs	Configuration	
C3-9320	changing contexts / tabs	Configuration	



	Move Custom WF Attributes to	Configuration /	
CS-9728	Component Context	Attributes	
	Enforce the Rules for Component	Configuration /	
CS-9729	Context attributes	Attributes	
	Enforce the Rules for Workflow Context	Configuration /	
CS-9730	attributes	Attributes	
00 0704	Enforce the Rules for Album Context	Configuration /	
CS-9731	attributes [Templates] In the Templates Config,	Attributes	
	change the UI to display system-defined		
	Templates separately of component	Configuration /	
CS-8845	templates	Templates	
	Disable some template tabs based on the	Configuration /	
CS-9167	template context	Templates	
	Workflow Templates that have one or	Configuration /	
CS-9322	more Tasks should not be deleted	Templates	
	Disable Export/Import for Album & WF	Configuration /	
CS-9323	templates.	Templates	
CS-9539	Add ability to use Quick Search on	Constraints	
CS-9539 CS-9961	Constraints Configuration page In the DB Wizard > Configure Database	Constraints Database	
C3-9901	section, include a new option to set up	Wizard	
	FileStream	Wizara	
	[Dashboard] Change the minimum		
CS-9389	sample size from 2 to 25	Dashboard	
		Imports	
66 6764	Importing [BLANK] value on Date data	(Templates /	20165
CS-8791	types fails	Attributes) Network	30165
	Add ability to use Quick Search on	Discovery / ND	
CS-9543	Network Discovery Locations page	Locations	
	,		25807,
	Add the attribute 'Type' as part of the	Reports /	26049,
CS-3073	attributes selection when doing reports	Custom Reports	27944
CS-5846	Allow Template Type as filter in report	Reports /	
	On Contain Departs the Industry Filter	Custom Reports	
	On Custom Reports, the Includes Filter Comparison considers only % as the	Reports /	
CS-9647	wildcard. It should consider * too.	Custom Reports	
00 30 17	Wilder at 12 stroute constact con	Reports /	
	Historical Reports - Default data set to	Historical	
CS-9599	next hour	Reports	
CS-8850	Searching Attributes (using the complete	Search	30226
	name) with Brackets does not display in Attributes list in some Modules		
	Attributes list iii Some Modules	Search &	
CS-1033	Improve Quick Search functionality	Filtering	
00 1000	When selecting a Album Template, the	. neering	
	user should be able to use Search input	Search &	
CS-9030	field	Filtering	
	In the Template lookup picker, change	Search &	
CS-9526	how the Search results are shown	Filtering	
00.0505	Add ability to use Quick Search on	Search &	
CS-9532	Reports Module	Filtering	



CC 0E22	On Workflow Module, rename the Quick	Search &
CS-9533	Search placeholder text	Filtering
CS-9534	On Audit Module, rename the Quick Search placeholder text	Search & Filtering
CS-9535	On Template Configuration, improve the Quick Search mechanism (use filtered tree, and rename the Quick Search placeholder text)	Search & Filtering
CS-9536	On Attributes Configuration, rename the Quick Search placeholder text	Search & Filtering
CS-9537	Add ability to use Quick Search on Zones Module	Search & Filtering
CS-9538	Add ability to use Quick Search on User Management Module	Search & Filtering
CS-9539	Add ability to use Quick Search on Constraints Configuration page	Search & Filtering
CS-9540	Add ability to use Quick Search on Saved Attributes Configuration page	Search & Filtering
CS-9541	Add ability to use Quick Search on User Management > Security page	Search & Filtering
CS-9542	Add ability to use Quick Search on Scripts Configuration page	Search & Filtering
CS-9543	Add ability to use Quick Search on Network Discovery Locations page	Search & Filtering
CS-9635	In the Attributes dialog picker, there're no notification message when there are no results found	Search & Filtering
	In the Quick Search field (from top-bar menu), improve the placeholder text so that becomes clear that wildcard are	Search &
CS-9636	supported	Filtering
CS-9644	On Component Lookup, adjust the placeholder text so that becomes clear that wildcard are supported	Search & Filtering
CS-9645	On Template Lookup, the Search should work similar to Attributes Picker	Search & Filtering
CS-9646	On Zone Lookup, adjust the placeholder text so that becomes clear that wildcard are supported	Search & Filtering
CS-9665	In the Search input fields, when hitting on X button, it should clear the field and perform the search bringing all data	Search & Filtering
23 9003	In the System Settings > Workflow Settings tab > New Task Dialog, change	
CS-9666	the Attribute Group lookup to follow convention	Search & Filtering
CS-9667	In the Component lookup picker, change how the Search results are shown (use filtered tree)	Search & Filtering
CS-9697	On Template Lookup Tree, add a context-menu with options to Expand All and Collapse All	Search & Filtering
CS-9699	Adjust Single-select Attribute pickers to be consistent through the application	Search & Filtering



	Adjust the Title of the Attribute dialogs	Search &
CS-9700	to be consistent through the application	Filtering
CS-9701	Adjust Multi-select Attribute pickers to be consistent through the application	Search & Filtering
CS-9734	The WF Templates Attribute Picker should be altered to only show Component Context attributes	Search & Filtering
CS-9735	The WF Settings Attribute Picker should be altered to only show Component Context attributes	Search & Filtering
CS-9752	Add filtered search to Zone lookup	Search & Filtering
CS-9753	Add filtered search to Single Value Lookup dialogs (used in multiple places picking a component)	Search & Filtering
CS-9754	Add filtered search to component lookups in Workflow	Search & Filtering
CS-9755	Add filtered search to Port and Cable lookups	Search & Filtering
CS-9274	3	SOAP API
CS-9733	Check the following SOAP Endpoints and ensure they only work with Component Context Attributes	SOAP API

9.8 List of Bugs Resolved in 12.0.0

Item Key	Summary	Cormant Component	Customer Case Number
	Restriction when deleting a space in HH		
CS-8987	[Android] where there is a planned Task	Android / Sync	
	Editing the space of a component on		
	Assets details tab doesn't update the		
CS-4142	breadcrumbs	Assets / Details	
	Workflow templates appear in component		
CS-9163	template lookup dialogs	Assets / Details	
	Double vertical scroll bar on the		
CS-9290	Template and Space lookup window	Assets / Details	
	Validation missing and error encountered		
	when Template is not set when adding a		
CS-9302	component or multiple components	Assets / Details	
	There's a JS error when trying to Add		
CS-9431	new Component	Assets / Details	
	In Asset > Details, JS error when trying		
	to change the Space field of DC1-		
CS-9477	CRAC01 to DC1-ROW1	Assets / Details	
	[Assets] Console error when adding a		
CS-9481	single component	Assets / Details	
	Buttons in Assign Barcode dialog have		
CS-9748	weird offset on small screen	Assets / Details	
	After renaming a component, any		
	succeeding save in attributes of the same		
CS-9826	component will keep displaying the	Assets / Details	



	rename dialog	
CS-9830	Renaming a component on Assets details tab doesn't update the breadcrumbs	Assets / Details
CS-9833	Incorrect and unnecessary validation on the Space field when adding multiple components	Assets / Details
	On Assets, the user can't add/delete a component due to a wrong "permission" rule when using the corresponding	
CS-9848	keyboard shortcut In Assets Historical Reports, make the	Assets / Details Assets /
CS-9146	chart fit in the page [Move Here] JS error with "No	Historical Report
CS-5708	component found" shows in the console when a new barcode is entered on the Search field	Assets / Move Here
CS-8324	Some components cause the confirmation dialog to be shown when Plan View is in edit mode, whereas other components in the same level of the hierarchy don't	Assets / Plan View
C3-0324	[Assets] Console error when moving	
CS-8995	components while Planview tab is the active tab	Assets / Plan View
CS-9043	[Planview] Console error when clicking Edit and Save on plan view while the left panel is on Search tab.	Assets / Plan View
CS-9335	[Plan View] Console error when copying some component's vertices using "Make Same As"	Assets / Plan View
CS-9387	[Assets] Console error when pressing the 'Escape' button from keyboard while Plan view is the active tab	Assets / Plan View
CS-9437	Rack front cannot be unset if the template has a front defined	Assets / Plan View
CS-9460	Zoom is incorrect when resetting/loading a large plan on Plan View tab	Assets / Plan View
CS-9470	Rack does not move back to original position when cancelling edit if Save Template functionality is used	Assets / Plan View
66 6474	Template vertices are not updated and rack is moved to weird position when using Save Template functionality on an	Assets / Plan
CS-9471	unchanged rack Unpositioned components do not use default front vertices defined on	Assets / Plan
CS-9473	Template Shortcut key for editing plan view not	View Assets / Plan
CS-9496	working	View
CS-9548	Plan View throws error in console when renaming the same component twice	Assets / Plan View
CS-9615	Plan View loads data twice in the back- end when saving the plan	Assets / Plan View



CS-9822	Plan View rack equipment images are inverted	Assets / Plan View	
C3-9022	[Planview] 'Index out of range' error	Assets / Plan	
CS-9836	when re-uploading a Planview image	View	
	[Planview] Saving a floor plan after		
	clicking OK on the data loss warning	Assets / Plan	
CS-9847	generates a console error	View	
	Unable to save changes for icons in Plan		
	View and they are inverted when	Assets / Plan-	
CS-9903	dragged	view	
	[Rack View] Clicking Edit mode when it is		
	disabled will show 'It's not possible to edit 2 panels at the same time.' even	Assets / Rack	
CS-8014	though the split screen is not enabled	View	
CS CO11	In the Rack View, a confirmation dialog	VICVV	
	appears warning about data-loss even		
	when selecting an equipment from the	Assets / Rack	
CS-8069	current rack	View	
	[Permission] Console error encountered		
66 0607	when user without permission "Add	Assets / Rack	
CS-8697	Component" in Rack View	View	
CS-9550	Copying a row unracks devices and	Assets / Rack	30605
CS-9550	causes them to lose their U location. On Assets -> Rack View -> Display	View	30605
	Options dialog, adding a new attribute		
	should include it at the end of the list,	Assets / Rack	
CS-9654	not in alpha order	View	
	On Assets -> Rack View -> Display		
	Options dialog, adding/removing an		
	attribute after a reorder doesn't update	Assets / Rack	
CS-9655	the list	View	
	On Assets -> Rack View -> Display Options dialog, cancelling the delete		
	attribute dialog after a reorder doesn't	Assets / Rack	
CS-9656	persist the order changes	View	
	All attributes shown on Delete attributes		
	dialog for Print options of Rack View		
	when there are no attributes to be used	Assets / Rack	
CS-9844	as page headers	View	
	Action buttons are in the wrong state		
CS-8637	after switching to a different Saved filter while in Edit mode	Accote / Coarch	
C3-003/	[Search] Searching with invalid date on	Assets / Search	
	the date fields will get stuck on a loading		
	state and an unfriendly error when		
CS-9139	saving it.	Assets / Search	
	[Search] Searching while user is in Edit		
CS-9170	mode will make a JS error occur	Assets / Search	
	Issues after renaming components via	Assets / Search	
CS-8982	the Search Results tab	Results	ļ
	Assets Tree component names are not	Accepts / Co. 1	
CS-9696	updated when components are renamed in Search Results tab	Assets / Search Results	
C3-3030		Assets /	
CS-9277	Asset-Subcomponents Deleting mass components is very slow or fails	Subcomponents	
CO 3211	components is very slow or falls	Japcomponents	I



	Error 'No Such Host is Known' when	1	
	running Query Device of an asset in		
CS-9838	Asset tree.	Assets / Tree	28127
	[Assets Tree] Using the 'F2' shortcut,		
	users can put the node in edit mode even		
CS-9872	when the edit is not allowed	Assets / Tree	
	Console error when clicking on Move		
66 6534	button in Assets Worfklow for users with	Assets /	
CS-8524	View-only permission to Workflow	Workflow	
CC 0CE1	[Asset-WF] Inconsistent display of data-	Assets /	
CS-8651	loss warning when editing the Task Flags [Assets] Clicking a component after	Workflow	
	accessing an unpermitted tab generates	Assets /	
CS-9864	a console error	Workflow	
CS 300 1	Barcode scanner uses wrong device	Barcode	
CS-9821	camera	Scanning	
00 3021	In the Configuration > Attributes, in the	- Couring	
	lookup of the "Attribute to Calculate"		
	field, a JS error occurs when attribute	Configuration /	
CS-9397	group is selected	Attributes	
	[Attribute Configuration] Console error		
	when clicking the 'OK' button without	Configuration /	
CS-9662	clicking any attribute group	Attributes	
	[Attribute Config] Current attribute	C C	
CC 0671	Group node not being selected when	Configuration / Attributes	
CS-9671	opening Attribute Group dialog Rack Unit Height rack attribute cannot be	Attributes	
	calculated when used as Calculated	Configuration /	
CS-9850	Attribute	Attributes	30939
00 3000	[Attributes] Unable to set Selection-type	Configuration /	30303
CS-9943	attributes to Required	Attributes	
	Incorrect number of components		
	specified when changing template	Configuration /	
CS-9247	attribute value	Templates	
	Admin -> Configuration -> Templates ->		
	Remove Attributes dialog not working for	Configuration /	
CS-9248	some attributes	Templates	
	[Template] When moving a template to	Configuration /	
CS-9344	another parent, the Template field (parent) is not updated on the page	Configuration / Templates	
CO 7544	In the new Attribute Lookup Dialog,	тептріасез	
	when displaying Context Type dropdown	Configuration /	
CS-9406	there are two scrollbars	Templates	
	[Templates] Console error encountered	'	
	when Add Template or CTRL+I is clicked	Configuration /	
CS-9438	by user with View Only permission	Templates	
	On Template Details, the "Connected		
00.0551	Icon" attribute is not being displayed in	Configuration /	
CS-9556	the correct order	Templates	
CC 0C73	No config history log when renaming a	Configuration /	
CS-9672	Template Via context menu	Templates	
	[Template] When exporting a template	Configuration /	
CS-9790	subcomponent, the subcomponent name column is blank	Configuration / Templates	
23 37 30	[Dashboard] Issues when the report	Templaces	
CS-8695	used by a widget is deleted in Reports	Dashboard	
	1 acca by a mager is deferred in Reports	_ aaaa.a	1



	tab		
	[Dashboard] Inconsistent behavior when		
	the Date Range Fields on widgets are		
CS-9118	empty or with invalid data	Dashboard	
	Meter widget in dashboard is not		
CS-9213	displayed properly	Dashboard	
	[Dashboard Widget] When creating a		
	new Custom Report Widget, the title is		
CS-9691	not persisted in the database properly	Dashboard	
	[Historical Report] Clicking the Export		
	and Print button when there is no		
CS-8531	selected report generates console error	Historical Report	
	[Import] Deleting mass components is	_	
CS-9572	very slow or fails	Imports	
	[Import] Line References in the Import Errors are 1 line off when the file is in		
CS-9812	xls/.xlsx format	Imports	
C3-9012	•	Imports	
CS-9942	[Import] Unable to import connections using Excel format	Imports	
C3-3342	[Logs] Setting 'Today' as value for Date	Imports	
	attributes under Templates tab shows as		
CS-9947	•	Logs	
	In the Logs > Administration History,	- J	
	some Permission Level descriptions		
	don't match the displayed text from	Logs /	
	the Admin > Users & Roles >	Administration	
CS-9220	Permissions tab	History	
	Conint I are mored to be limited to a	Logs /	
CS-5316	Script Logs need to be limited to a handle-able number of entries to display	Configuration History	
C3-3310	Thandle-able humber of entries to display	Logs /	
	Changes to Config/Saved Attributes are	Configuration	
CS-9293	not saved to Config History	History	
	On Configuration History, a JS error	Logs /	
	occurs when trying to Export to PDF, XLS	Configuration	
CS-9553	or CSV	History	
	[Logs] Setting 'Today' as default value	Logs /	
00 0700	for Date-type attributes shows as '1/1/1'	Configuration	
CS-9732	on the Configuration History	History	
CC 4022	Console error when choosing Asset as an	Network	
CS-4933	attribute in Discovery Attribute Mapping	Discovery	
CS-9309	JS error encountered when opening	Peference Data	
CS-9309 CS-9439	attribute lookup in Reference Data Ability to search a report in the report	Reference Data Reports	30511
C3-3433	module	reports	20211
		Reports /	
	Exporting files in XLS format is not	Historical	
CS-9721	working with History related reports	Reports	
	[SwaggerUI] Error shown in the POST		
CS-7546	request on Attributes endpoint	RESTAPI	
	On Rest API, an Object Reference error is		
	shown when creating an OfflineSync		
00 011=	Conflict with an OfflineSync Profile that	DECTAR!	
CS-9445	does not exist	RESTAPI	



1	'All Spaces' shows as '0' on the Add	
	Component dialog when using the	
CS-9740		Scan & Assign
	Buttons in Assign Barcode dialog have	_
CS-9748	weird offset on small screen	Scan & Assign
	When Modified scripts are run multiple	
	times on the same rack when deleting its	Scripting
CS-9668	children	Service
	Quick search does not work after	Search &
CS-9747	repeating a search after a clear	Filtering
	Search loop behavior in Templates	Search &
CS-9797	Search	Filtering
	Components of type Area are not shown	Carrela 0
CS-9871	on lookups that should include that type of component	Search & Filtering
C3-96/1	•	Filtering
CS-7604	User is redirected to a blank page after setting up a new password	Security / Login
C3-7004	Blank page displayed after logging in for	Security / Login
CS-7710	first time	Security / Login
CS 7710	[Workflow Settings] Clicking 'Cancel' on	Security / Login
	the data loss warning will allow no email	
	status selected, causes console error	Settings /
CS-8936	when saving on other tabs	Workflow
	[Workflow Settings] Console error when	
	clicking the 'OK' button without clicking	Settings /
CS-9048	any attribute group	Workflow
	[UI] Put a good amount of space	
66 0736	between checkbox and label in Enable	System Settings
CS-9736	Status Change Emails [User Management] Admin dropdown	/ General User
	options in Permissions tabs and in Zones	Management /
CS-9800	tab are different	User and Roles
	In the Create User dialog, a JS error if	User
	the user selects the Blank option in the	Management /
CS-9839	Role field	User and Roles
		User
	[User] At first login of user, doesn't fully	Management /
CS-4802	load the homepage	Users and Roles
	[Permission] User with View only	User
CS-5785	permission can invoke the Add Component dialog via ctrl+I	Management / Users and Roles
CJ-3/03	Component dialog via Cult1	User
	Error when trying to update module	Management /
CS-9594	permissions for the Customer role	Users and Roles
	After hitting Apply Filter, the action	User
	buttons remain enabled even if there's	Management /
CS-9737	no selected user	Users and Roles
	[User and Roles] Console error when	User
66 666	selecting the blank option for the Role	Management /
CS-9803	when creating a new user	Users and Roles
	[Workflow Attachment] No validation	
CS-6533	message when trying to add a Attachment without an attached file	Workflow
CO 0000	Error after selecting a component without	WOIKHOW
CS-7754	a site on On WF > Add New Task	Workflow
UU , , J-T	a size on on the Add New Tush	



CS-6287	[Workflow] Device Details tab stuck in loading state when a user with View permission tries to open the task	Workflow / Device Details
	[Workflow] Device Details is stuck in	
	loading state when the destination	
	location set is deleted from the Asset	Workflow /
CS-8539	tree	Device Details
	Console error encountered when clicking	
	the down arrow key after the end of the	Workflow /
CS-8976	port sequence in Provisioning details	Provisioning
		Workflow
CS-9682	Unable to create an Admin Task	Manager
	Error encountered when creating a task	
	to a component with duplicate slot	Workflow
CS-9683	number	Manager